



**Finish & Fixture Specifications - (A) Spring Scheme
Basis of Design**

April 2023

Revision Log

April 2023

August 2023

December 2023

March 2024

July 2024

October 2024

June 2025

December 2025

Summary of Changes

Date	Item Number	Description
April 2023	PT-03, PT-04, PT-06, PT-12, PT-14, PT-15	Item Description Updated with New Location
	PT-25	New Specification
	ST-10	Item Description Updated with New Location
	TA-16.ADA	Item Description Updated
August 2023	PT-24	Item Color Updated
	PL-10, PL-11, PL-12	Vendor Info Updated
December 2023	Removed CFCI throughout document	
	TA-07.ADA	Product Info Updated
	TA-08	Specification Updated
	SF-11	Specification Added
	Supplemental Information & Introduction	Pages Added
	PT-07, PT-08	Specification Updated
	PT-03, PT-06, PT-19, ST-10, PL-10, PL-12	Specification Updated
March 2024	PF-09, PF-10, TA-19, PF-05 Supplier B, TA-09 Supplier B, TA-10 Supplier B, TA-10.1 Supplier B	Specification Added
	PL-12, PT-04, PT-12, PT-19, ST-10	Item Description Updated with New Location
	TA-07	Item Number and Description Updated
	PT-04, PT-06, PT-08, PT-11, PT-25	Product Info Updated
	T-08	Product Dimensions Updated

(A) Spring Scheme Finish & Fixture Specifications
Basis of Design



	PT-04, PT-05, PT-06, PT-07, PT-08, PT-10, PT-11, PT-12, PT-15, PT-16, PT-17, PT-24, PT-25	Specification Updated
	PF-05, TA-09, TA-10, TA-10.1	Updated to be Supplier A
	Supplemental Information	Page Updated
July 2024	PT-05, PT-06, PT-07, PT-10 & PT-15	Vendor Contact & Email Address Updated
	PT-04 & PT-25	Specification Updated
Oct. 2024 Δ6	PT-03	Specification Update
	All Paints ST-01 Supplier A: TA-09, TA-10 & TA-10.1	Vendor Contact Updated
Jun. 2025 Δ7	All Plumbing Fixtures (PF-##) All Laminates (PL-##) All Toilet Accessories (TA-##) SF-11	Vendor Contact Update
Dec. 2025 Δ8	PT-03, 04, 05, 06, 07, 08, 10, 11, 15, 16 & 17	Specification Information
	All Paints Supplier B: PF-05, TA-09, TA-10 & TA-10.1	Vendor Contact Update

Introduction

The Spark Fall and Spring prototypical décor packages have been thoughtfully designed by Hilton to provide a complete décor solution. The vendors and their products were chosen through an extensive sourcing process and represent a high-quality, economical, and streamlined solution for the Spark Brand property. When used holistically, the package with the specified vendors is pre-approved and will help expedite project approvals and procurement. Refer to Project HUB for submittal requirements.

Within this document are the Finish specifications needed to implement the Spark Fall prototypical décor scheme. Along with the Design Guides, the Spark Brand Standards, and the Architectural Prototype Drawings, these specifications and the corresponding guest room and public area specifications will assist the Owner/Designer in completing their renovation to a Spark Brand property.

All vendors and specified products outlined in this document are Basis of Design, deviations are accepted for review by Hilton Design Review.

If there are any questions about how to use this document, please contact Architecture, Design & Construction at design.review@hilton.com.

Submit the Fall or Spring specifications to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.

If there are any questions regarding procurement, please contact Hilton Supply Management. Connect with the HSM team of procurement experts at HSMx@Hilton.com.

Supplemental Information

The below documents can be found on the designinformation.hilton.com.

- **Implementation Guide:** This document gives the owner and the professional teams the knowledge and insights how to implement the required package into their unique property. The required brand aesthetics, functionality and experiences are achieved by following the guidance provided.
- **Spark Brand Standards:** This document lists the minimum standards, procedures, rules, regulations, policies, and techniques required by the Spark Brand and Hilton.

Program Type

- **Basis of Design:** Supplier specified herein as manufacturers are considered a Basis of Design and have been selected and vetted however, are not required suppliers. Any custom selections are required to be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.

Notes

- It is the Owner's/Designer's responsibility to maintain the required package and adapt all required elements to their property's conditions and code requirements prior to fabrication and installation.

(A) Spring Scheme Finish & Fixture Specifications
Basis of Design



Index

Project Name: Spark by Hilton Arch Fixture/Finish Specifications
 Scheme: Spring Scheme
 Area: Guestroom & Public Areas

Issue Date	Revision	Item #	Supplier	Item Description	Vendor
LIGHTING					
January 2023		(A) L-11		Exterior Decorative Wall Sconce	BASIS OF DESIGN
MIRROR					
January 2023		(A) MR-10		Mirror @ Fitness & Public Restroom	BASIS OF DESIGN
PLUMBING FIXTURES					
June 2025	Δ7	(A) PF-04		Shower Control Trim & Shower Arm Set	BASIS OF DESIGN
June 2025	Δ7	(A) PF-04.ADA		Accessible Control Trim, Shower Arm, Transfer Valve Trim & Handheld Shower Set @ Roll-In Shower	BASIS OF DESIGN
June 2025	Δ7	(A) PF-04.1		Shower Valve	BASIS OF DESIGN
June 2025	Δ7	(A) PF-05	A	Shower Pan	BASIS OF DESIGN
June 2025	Δ8	(A) PF-05	B	Shower Pan	BASIS OF DESIGN
June 2025	Δ7	(A) PF-05.1		Shower Drain	BASIS OF DESIGN
June 2025	Δ7	(A) PF-06		Tub/Shower Control Trim, Tub Spout, & Shower Arm Set	BASIS OF DESIGN
June 2025	Δ7	(A) PF-06.ADA		Accessible Control Trim, Shower Arm, Tub Spout, Transfer Valve Trim & Handheld Shower Set @ Accessible Tub	BASIS OF DESIGN
June 2025	Δ7	(A) PF-06.1		Shower/Tub Valve	BASIS OF DESIGN
June 2025	Δ7	(A) PF-07		Alcove Tub Unit	BASIS OF DESIGN
June 2025	Δ7	(A) PF-07.1		Tub Drain	BASIS OF DESIGN
June 2025	Δ7	(A) PF-08		Toilet	BASIS OF DESIGN
June 2025	Δ7	(A) PF-09		Wet Bar Faucet	BASIS OF DESIGN
June 2025	Δ7	(A) PF-10		Wet Bar Sink	BASIS OF DESIGN
PLASTIC LAMINATE					
June 2025	Δ7	(A) PL-10		Plastic Laminate @ Reception & Breakfast Millwork (Toe-Kick)	BASIS OF DESIGN
June 2025	Δ7	(A) PL-11		Plastic Laminate @ Reception Desk (Employee Side) & Public Restroom Partitions	BASIS OF DESIGN
June 2025	Δ7	(A) PL-12		Plastic Laminate @ Breakfast & Guestroom Wet/Dry Bar Millwork	BASIS OF DESIGN
PAINT					
Oct 2024	Δ8	(A) PT-01		Ceiling Paint @ Guestroom	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-02		Ceiling Paint @ Guest Bath	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-03		Δ8 Paint @ Closet & Connecting Doors/Frames Guestrooms	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-04		Δ8 Paint @ Guestroom Entry and Guest Bath Doors/Frames, Corridor Doors/Frames, Corridor Chair Rail Trim & Wainscoting & Guestroom Window Sills	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-05		Overall Paint @ Guestroom	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-06		Accent Paint @ Guestroom Window Wall, Corridor Accent & Lobby Accent Walls	BASIS OF DESIGN

(A) Spring Scheme Finish & Fixture Specifications**Basis of Design**

Oct 2024	Δ6	(A) PT-07	Overall Wall Paint @ Guest Bath & Public Restroom	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-08	Accent Wall Paint @ Guest Bath	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-10	Overall Paint @ Lobby	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-11	Paint @ Entry Vestibule Ceiling	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-12	Paint @ Lobby Base Boards/Trim/ Doors/Frames, Elevator Doors, Fitness/Public Restroom Mirror Frame, Public Area Window Sills, and BOH/Stairwell Handrails	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-13	Paint @ Crown Molding & Breakfast Buffet Trim	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-14	Paint @ Public Space Ceilings & Soffits & ACT Ceiling Grid	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-15	Wall Paint @ Corridors, Hospitality Suite, Guest Laundry, Fitness Center & BOH	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-16	Wall Paint @ Brand Focal Wall, 1st Floor Elevator Lobby, & Fitness Accent	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-17	Paint @ Indoor Pool & Pool Restroom Walls	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-18	Ceiling Paint @ Indoor Pool & Pool Restroom Walls	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-19	Paint @ Breakfast Cabinets & Guestroom Wet/Dry Bar Millwork	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-20	Overall Paint @ Building Exterior	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-21	Dark Accent/Inset Paint @ Building Exterior	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-22	Trim/Detail Paint @ Building Exterior	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-23	Paint @ Roof	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-24	Brand Focal @ Building Exterior	BASIS OF DESIGN
Oct 2024	Δ8	(A) PT-25	Wall Paint @ Entry Vestibule	BASIS OF DESIGN

STONE (TILE OR SLAB)

January 2023	Δ6	(A) ST-10	Stone @ Reception Desk, Breakfast Millwork, Window Sills, and Guestroom Wet/Dry Bar	BASIS OF DESIGN
--------------	----	------------------	---	------------------------

TOILET ACCESSORIES

June 2025	Δ7	(A) TA-01	Double Toilet Paper Holder @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-02	Single Toilet Paper Holder @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-03	Towel Ring @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-04	Single Robe Hook @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-05	Double Robe Hook @ Guest Bath Door	BASIS OF DESIGN
June 2025	Δ7	(A) TA-06	24" Towel Bar @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-07	18" Towel Bar @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-08	24" Towel Rack w/ Hang Bar @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-09	A Glass Shower Enclosure @ Guest Bath	BASIS OF DESIGN
June 2025	Δ8	(A) TA-09	B Glass Shower Enclosure @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-10	A Shower/Tub Surround Panel System @ Guest Bath	BASIS OF DESIGN
June 2025	Δ8	(A) TA-10	B Shower/Tub Surround Panel System @ Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-10.1	A Footrest @ Shower	BASIS OF DESIGN
June 2025	Δ8	(A) TA-10.1	B Footrest @ Shower	BASIS OF DESIGN

(A) Spring Scheme Finish & Fixture Specifications
Basis of Design



June 2025	Δ7	(A) TA-11	Curved Shower Rod @ Tub	BASIS OF DESIGN
June 2025	Δ7	(A) TA-12.ADA	18" Grab Bar @ Accessible Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-13.ADA	24" Grab Bar @ Accessible Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-14.ADA	36" Grab Bar @ Accessible Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-15.ADA	42" Grab Bar @ Accessible Guest Bath	BASIS OF DESIGN
June 2025	Δ7	(A) TA-16.ADA	Straight Shower Rod @ Accessible Roll-in Shower	BASIS OF DESIGN
June 2025	Δ7	(A) TA-17.ADA	Shower Seat @ Accessible Roll-in Shower	BASIS OF DESIGN
June 2025	Δ7	(A) TA-18.ADA	Folding Seat @ Accessible Tub	BASIS OF DESIGN
June 2025	Δ7	(A) TA-19	18" Towel Rack w/ Hang Bar @ Guest Bath	BASIS OF DESIGN
WOOD				
January 2023		(A) WD-11	Wood Frame @ Fitness & Public Restroom	BASIS OF DESIGN
January 2023		(A) WD-12	Wood Base @ Public Areas	BASIS OF DESIGN
SPECIALTY FINISH				
June 2025	Δ7	(A) SF-11	Elevator Cab Kit	BASIS OF DESIGN

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision:

Item Number: **(A) L-11**
Item Name: Exterior Decorative Wall Sconce
Area Name: Public Area
Program: **BASIS OF DESIGN**

Manufacturer: **AFX**
Address: 2345 N. Ernie Krueger Circle
Waukegan, IL 60087
Phone: (847).778.9223
Contact: Colleen Destefano
E-mail: cdestefano@afxinc.com
Web: www.afxinc.com

Description: Cylindrical Metal Outdoor Integrated LED Wall Sconce with Dual Up & Down LED Illumination
Model Number: EVYW070418L30MVBK
Model Name: Everly 12" LED Outdoor Sconce
Dimensions: 4.24"W x 7"D x 12"H
Finish: Black
Switch Type: Hardwired
Lamp Type: Integrated LED
Lamp Wattage: 25W
Lamp Quantity: 2
UL Listing: See Notes
Dimmer: Non-Dimming
Shade/Diffuser Style: Cylindrical Steel Shade/Clear Acrylic Diffuser
Color Temperature: 3000K
Notes: Fixture is cETLus listed for wet locations
Title 24/JA8 Compliant
Fixture is to be mounted at existed J-box locations.



Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample, Shop Drawing

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Manufacturer to clearly mark each carton with item ID and specification number.
- Reference the Design Intent drawings on designinformation.hilton.com for further information.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.

Project Name: Spark by Hilton Arch Finish/Fixture Specs

Scheme: Spring Scheme

Issue Date: January 2023

Revision:

Item Number: **(A) MR-10**

Item Name: Mirror @ Fitness & Public Restroom

Area Name: Public Area


Program: **BASIS OF DESIGN**

Manufacturer: **To Bid**

Description: Polished Plate Glass Mirror to be Mounted to the Wall and Framed with a Painted Wood Wall Trim. Refer to WD-11 for Wood Frame Details.

Color/Finish: Polished - Must be Free of Distortion

Dimensions: 48" x 96" Panel; 3/16-1/4" Thick



Notes: Mirrors must be 3/16-1/4" thick with safety vinyl backing.

Installed mirror panels to butt together flush for a seamless look with applied wood trim framing the full installation. Installer must provide appropriate mounting hardware for wall condition and weight of mirror.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-04
Scheme:	Spring Scheme	Item Name:	Shower Control Trim & Shower Arm Set
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441

E-mail: Δ7 hospitalitysales@kohler.com

Description: Shower Valve Trim and Shower Arm with Flange

Model Number: TLS98009-4-CP

Model Name: July Rite-Temp® Shower Valve Trim with Lever Handle, Less Showerhead

Color: Polished Chrome (CP)

Valve Body: Not Included - Refer to PF-04.1 for Specification



Notes:

- Includes face plate with handle, shower arm, and flange.
- Showerhead not included - refer to PF-03 for specification.
- Single handle controls both on/off activation and temperature settings

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-04.ADA
Scheme:	Spring Scheme	Item Name:	Accessible Control Trim, Shower Arm, Transfer Valve/Trim & Handheld Shower Set @ Roll-In Shower
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Kohler
Phone:	Δ7 920-457-4441
E-mail:	Δ7 hospitalitysales@kohler.com
Description:	Shower Valve Trim, Shower Arm with Flange, Transfer Valve/Trim, and Hand-Shower Slidebar Kit with Wall Supply
Model Number:	See Notes
Model Name:	See Notes
Color:	Polished Chrome (CP)
Valve Body:	Not Included - Refer to PF-04.1 for Specification



Notes: Full accessible fixture set is comprised of the following products:

TLS98009-4-CP Shower Valve Trim & Shower Arm with Flange
T97831-4-CP Transfer Trim
737-K-NA Transfer Valve
99242-G-CP Awaken Handshower Kit (24" Slidebar, Multi-function Handshower Head, 60" Hose)
98351-CP Awaken Wall Supply

Showerhead not included - refer to PF-03 for specification.

Single Handle controls both on/off activation and temperature settings.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: Jun. 2025 Δ7

Item Number: **(A) PF-04.1**
Item Name: Shower Valve
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Kohler**
Phone: Δ7 920-457-4441
E-mail: Δ7 hospitalitysales@kohler.com
Description: Valve Body, Pressure Balance Cartridge, Rough-In Guide, and Mudguard.
Model Number: 8304-KS-NA
Model Name: Rite-Temp® Pressure-Balancing Valve Body and Cartridge Kit with Service Stops



Notes: 5.0 gpm maximum flow rate at 45 psi.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-05 Supplier A
Scheme:	Spring Scheme	Item Name:	Shower Pan
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Mincey Marble**

Phone: Δ7 770-532-0451

E-mail: Δ7 sales@minceymarble.com

Description: Renovation Shower Pan with Lightly Textured, Non-Slip Floor Surface and Offset Drain Cutout.

Model Number: SP-3260-OS-SF-RENO

Model Name: 32" x 60" Renovation Pan - Offset Drain

Color: #2250 White / Matte

Dimensions: 32"D x 60"W x 3"H



Notes: Contractor & AOR MUST verify all existing dimensions and coordinate that shower pan will fit within existing site conditions prior to purchasing.

Drain is NOT included - Refer to PF-05.1 for Specification.

Center of Drain Measures 14-1/8" from Back Wall & 8-3/8" from Side Wall.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-05 Supplier B
Scheme:	Spring Scheme	Item Name:	Shower Pan
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun 2025 Δ7; Dec 2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer: **International Marble Industries - A Division of ABG Hospitality**

Phone: Δ8 317-835-9000

E-mail: Δ8 customerservice@mplcompany.net

Description: Renovation Shower Pan with Lightly Textured, Non-slip Floor Surface and Trench Drain.

Model Number: SB60x32-8.25TD-xH-LC

Model Name: 32" x 60" Renovation Pan - 8.25" Trench Drain

Color: White (SW)

Dimensions: 32"D x 60"W x 4"H



Notes: Contractor & AOR MUST verify all existing dimensions and coordinate that shower pan will fit within existing site conditions prior to purchasing.

Trench drain cover to have brushed stainless steel finish. Refer to manufacturer recommended product.

Drain is NOT included and must be purchased separately. Refer to manufacturer suggested drains:

- Solvent Weld type fitting similar to Oatey Part No. 42097
- Compression type "No-Caulk" fitting similar to Oatey Part No. 42099

Center of Drain is adjustable from 6" to 26" in the trench cavity.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-05.1
Scheme:	Spring Scheme	Item Name:	Shower Drain
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Kohler
Phone:	Δ7 920-457-4441
E-mail:	Δ7 hospitalitysales@kohler.com

Description:	Round, Perforated Strainer Shower Drain.
Model Number:	9132-CP
Model Name:	Round Shower Drain For Use with Plastic Pipe, Gasket Included
Color:	Polished Chrome (CP)



Notes: For use with PF-05 Shower Pan.

Can be installed on 2" metal or plastic pipe. Includes 2" plastic pipe gasket/bushing.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-06
Scheme:	Spring Scheme	Item Name:	Tub/Shower Control Trim, Tub Spout & Shower Arm Set
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441

E-mail: Δ7 hospitalitysales@kohler.com

Description: Tub/Shower Control Trim, Tub Spout with Diverter, and Shower Arm with Flange

Model Number: TLS98007-4-CP

Model Name: July Rite-Temp® Bath and Shower Valve Trim with Lever Handle and Slip-Fit Spout, Less Showerhead

Color: Polished Chrome (CP)

Valve Body: Not Included - Refer to PF-06.1 for Specification



Notes:

- Includes face plate with handle, bath spout, shower arm, and flange.
- Showerhead not included - refer to PF-03 for specification.
- Single handle controls both on/off activation and temperature settings.
- Includes diverter bath spout with 1/2" copper slip-fit connection.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-06.ADA
Scheme:	Spring Scheme	Item Name:	Accessible Control Trim, Shower Arm, Tub Spout, Transfer Valve/Trim & Handheld Shower Set @ Accessible Tub
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**
 Phone: Δ7 920-457-4441
 E-mail: Δ7 hospitalitysales@kohler.com

Description: Tub/Shower Valve Trim, Shower Arm with Flange, Tub Spout, Transfer Valve/Trim, and Hand-Shower Slidebar Kit with Wall Supply

Model Number: See Notes
 Model Name: See Notes
 Color: Polished Chrome (CP)
 Valve Body: Not Included - Refer to PF-06.1 for Specification



Notes: Full accessible fixture set is comprised of the following products:

TLS98009-4-CP Shower Valve Trim & Shower Arm with Flange
 15135-CP Tub Spout (less diverter)
 T97831-4-CP Transfer Trim
 737-K-NA Transfer Valve
 99242-G-CP Awaken Handshower Kit (24" Slidebar, Multi-function Handshower Head, 60" Hose)
 98351-CP Awaken Wall Supply

Showerhead not included - refer to PF-03 for specification.

Single Handle controls both on/off activation and temperature settings

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: Jun. 2025 Δ7

Item Number: **(A) PF-06.1**
Item Name: Shower/Tub Valve
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Kohler**
Phone: Δ7 920-457-4441
E-mail: Δ7 hospitalitysales@kohler.com
Description: Valve Body, Pressure Balance Cartridge, Rough-In Guide, and Mudguard.
Model Number: 8304-KS-NA
Model Name: Rite-Temp® Pressure-Balancing Valve Body and Cartridge Kit with Service Stops



Notes: 5.0 gpm maximum flow rate at 45 psi.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-07
Scheme:	Spring Scheme	Item Name:	Alcove Tub Unit
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441

E-mail: Δ7 hospitalitysales@kohler.com

Description: Alcove Bathtub with Integral 16" Apron

Model Number: See Notes

Model Name: Ensemble 60" x 30" Bath

Color: White (0)

Dimensions: 30-1/4"D x 60"W x 19"H



Notes: Left Hand Drain: 71171110-0 / Right Hand Drain: 71171120-0

Contractor MUST verify all existing dimensions and coordinate that tub will fit within existing site conditions prior to purchasing.

Above Floor Drain models are also available if required due to existing structural conditions at property:
71171112-0 AFD Left Hand Tub/71171122-0 AFD Right Hand Tub

Drain is NOT included - Refer to PF-07.1 for specification.

ADA Compliant when installed per accessibility guidelines.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-07.1
Scheme:	Spring Scheme	Item Name:	Tub Drain
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441


E-mail: Δ7 hospitalitysales@kohler.com

Description: Adjustable Trip Lever Pop-Up Drain with Removeable Grid Strainer

Model Number: 11660-CP

Model Name: Swiftflo 1-1/2" Adjustable Drain, 17 Gauge Brass, for 14" to 16" Baths

Color: Polished Chrome (CP)



Notes: For use with PF-07 Alcove Tub Pan

1-1/2" connection, for use with 14"-16" deep bath installations and through-the-floor installations.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-08
Scheme:	Spring Scheme	Item Name:	Toilet
Issue Date:	January 2022	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**
 Phone: Δ7 920-457-4441
 E-mail: Δ7 hospitalitysales@kohler.com

Description: Two-Piece Toilet with Elongated Bowl
 Model Number: See Notes.
 Model Name: Kingston Comfort Height Two-Piece Elongated 1.28 gpf Chair Height Toilet
 Color: White (0)
 Dimensions: 29-3/4"D x 18-3/4"W x 31-1/2"H



Notes: Order must consist of the following Components:
 - #25076-0 Kingston Comfort Height Elongated Toilet Bowl
 - #25100-0 Kingston 1.28 gpf Toilet Tank
 - #20110-0 Brevia Quiet-Close Elongated Toilet Seat

Contractor MUST verify all existing dimensions and coordinate that toilet will fit within existing site conditions prior to purchasing.

ADA compliant when installed per accessibility guidelines.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-09
Scheme:	Spring Scheme	Item Name:	Wet Bar Faucet
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441

E-mail: Δ7 hospitalitysales@kohler.com

Description: Single-Handle Bar Sink Faucet

Model Number: K-22034-CP

Model Name: Simplice Single-Handle Bar Sink Faucet

Color: Polished Chrome (CP)

Dimensions: 13"H (from Counter-Top), 7-1/4" Spout Reach



Notes:

- ADA compliant when installed to the specific requirements of these regulations
- 1.5 GPM flow rate
- High-arch swing spout with 180° rotation
- Single lever handle allows for both on/off activation and temperature setting
- Single hole installation

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PF-10
Scheme:	Spring Scheme	Item Name:	Wet Bar Sink
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Kohler**

Phone: Δ7 920-457-4441

E-mail: Δ7 hospitalitysales@kohler.com

Description: Undermount Single-Bowl Bar Sink

Model Number: 11448-NA

Model Name: Springdale 16-1/4" Undermount Single-Bowl Bar Sink

Color: Stainless Steel - Luster Finish

Dimensions: 16-1/4"L x 17-3/4"W x 8"D



Notes: **Sink Drain Sold Separately - Order must include Sterling 7400 Stainless Steel Sink Drain and Strainer**

ADA compliant when installed to the specific requirements of these regulations

3-3/4" drain opening

Features SilentShield® technology - an exclusive sound-absorbing system, reduces noise and vibration

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PL-10
Scheme:	Spring Scheme	Item Name:	Plastic Laminate @ Reception and Breakfast Millwork (Toe-Kick) & GR Millwork (Toe-Kick)
Issue Date:	January 2023	Area Name:	Public Area
Revision:	12/2023 Δ2; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Wilsonart
Phone:	Δ7 917.651.6524
E-mail:	Δ7 hospitality@wilsonart.com

Product:	1595-60
Color/Finish:	Black - Matte Finish



Notes: Refer to architectural drawing set for millwork direction.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PL-11
Scheme:	Spring Scheme	Item Name:	Plastic Laminate @ Reception Desk (Employee Side) & Public Restroom Partitions
Issue Date:	January 2023	Area Name:	Public Area
Revision:	12/2023 Δ2; Jun. 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wilsonart		
Phone:	Δ7 917.651.6524		
E-mail:	Δ7 hospitality@wilsonart.com		
Product:	7981K-12		
Color/Finish:	Landmark Wood - Softgrain Finish with Aeon		



Notes: For use when existing front desk millwork and/or public restroom partitions must be replaced due to condition. Refer to architectural drawing set for millwork direction.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PL-12
Scheme:	Spring Scheme	Item Name:	Plastic Laminate @ Breakfast & Guestroom Wet/Dry Bar Millwork
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Jun. 2025 Δ7	Program:	BASIS OF DESIGN


Manufacturer: **Wilsonart**

Phone: Δ7 917.651.6524

E-mail: Δ7 hospitality@wilsonart.com

Product: D505-60

Color/Finish: Midnight - Matte Finish



Notes: For use when existing millwork must be replaced due to condition. Refer to architectural drawing set for millwork direction.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:


Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-01
Scheme:	Spring Scheme	Item Name:	Ceiling Paint @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-37 Glacier White Sherwin Williams: SW 8917 Shell White		
Finish:	Flat		



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-02
Scheme:	Spring Scheme	Item Name:	Ceiling Paint @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-37 Glacier White Sherwin Williams: SW 8917 Shell White		
Finish:	Semi-Gloss		

Notes: Product must be suitable for use in high humidity bathroom environments.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.


Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme

Issue Date: January 2023
Revision: 12/2023 Δ2; Oct-2024 Δ6; Oct-2025 Δ8

Manufacturer: **Benjamin Moore**
Phone: Δ8 877-623-8484
E-mail: Δ8 custcare@benjaminmoore.com
Color: Benjamin Moore: OC-37 Glacier White
Sherwin Williams: SW 8917 Shell White
Finish: Semi-Gloss

Item Number: **(A) PT-03**
Item Name: Δ6 Paint @ Closet & Δ8 Connecting Doors/Frames
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Sherwin Williams
Δ6 216.566.2052
Δ6 hiltonhotels@sherwin.com



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-04
Scheme:	Spring Scheme	Item Name:	Δ8 Paint @ Guestroom Entry and Guest Bath Doors/Frames, Corridor Doors/Frames, Corridor Chair Rail Trim & Wainscotting, Guest & Guestroom Window Sills
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ7; Oct-2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer:	Benjamin Moore	Sherwin Williams
Phone:	Δ8 877-623-8484	Δ6 216.566.2052
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com
Color:	Benjamin Moore: 1680 Hudson Bay Sherwin Williams: SW 6244 Naval	
Finish:	Semi-Gloss	


Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-05
Scheme:	Spring Scheme	Item Name:	Overall Paint @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-37 Glacier White Sherwin Williams: SW 8917 Shell White		
Finish:	Eggshell		
Corner Guards:	In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0103 White Sand.		
	Ordering Contact: Chris Quasius, (800) 222-5556, hilton@inprocorp.com		

Notes: Δ8 See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-06
Scheme:	Spring Scheme	Item Name:	Accent Paint @ Guestroom Window Wall, Corridor Accent, & Lobby Accent Walls, & Guest Corridor Trim
Issue Date:	January 2023	Area Name:	Guestroom & Public Area
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1680 Hudson Bay Sherwin Williams: SW 7602 Indigo Batik		
Finish:	Eggshell		
Corner Guards:	In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0134 Cadet Blue.		
	Ordering Contact: Chris Quasius, (800) 222-5556, hilton@inprocorp.com		

Notes: Δ8 See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-07
Scheme:	Spring Scheme	Item Name:	Overall Wall Paint @ Guest Bath & Public Restroom
Issue Date:	January 2023	Area Name:	Guestroom & Public Area
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-37 Glacier White Sherwin Williams: SW 8917 Shell White		
Finish:	Eggshell		
Corner Guards:	In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0103 White Sand.		
	Ordering Contact: Chris Quasius, (800) 222-5556, hilton@inprocorp.com		

Notes: Δ8 Product must be suitable for use in high humidity interior environment.
See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8

Item Number: **(A) PT-08**
Item Name: Accent Wall Paint @ Guest Bath
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Benjamin Moore**

Sherwin Williams

Phone: Δ8 877-623-8484


Δ6 216.566.2052

E-mail: Δ8 custcare@benjaminmoore.com

Δ6 hiltonhotels@sherwin.com

Color: Benjamin Moore: 1680 Hudson Bay
Sherwin Williams: SW 7602 Indigo Batik

Finish: Eggshell



Notes: Δ8 Product must be suitable for use in high humidity interior environment.
See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-10
Scheme:	Spring Scheme	Item Name:	Overall Paint @ Lobby
Issue Date:	January 2023	Area Name:	Public Areas
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer:	Benjamin Moore	Sherwin Williams
Phone:	Δ8 877-623-8484	Δ6 216.566.2052
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com

Color: Benjamin Moore: HC-169 Coventry Gray
Sherwin Williams: SW 7658 Gray Clouds

Finish: Eggshell

Corner Guards: In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0151 Graystone.

Ordering Contact: Chris Quasius,
(800) 222-5556, hilton@inprocorp.com



Notes: Δ8 See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-11
Scheme:	Spring Scheme	Item Name:	Paint @ Entry Vestibule Ceiling
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1680 Hudson Bay Sherwin Williams: SW 7602 Indigo Batik		
Finish:	Flat		

Notes: Δ8 Paint existing ceiling condition including gypsum, ACT, and drop ceiling grid. Painter must verify existing site conditions and select appropriate paint product for use.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme

Item Number: **(A) PT-12**
Item Name: Paint @ Lobby Base Boards/Trim/
Doors/Frames, Elevator Doors,
Fitness/Public Restroom Mirror Frame,
Public Area Window Sills, BOH and
Handrails

Issue Date: January 2023
Revision: 3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8

Area Name: Public Area
Program: **BASIS OF DESIGN**

Manufacturer:	Benjamin Moore	Sherwin Williams
Phone:	Δ8 877-623-8484	Δ6 216.566.2052
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com

Color: Benjamin Moore: CSP-50 Rainstorm
Sherwin Williams: SW 7669 Summit Gray
Finish: Semi-Gloss



Notes: Painter to prep/prime existing trim elements as necessary to accept paint.
See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:


Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-13
Scheme:	Spring Scheme	Item Name:	Paint @ Crown Molding & Breakfast Buffet Trim
Issue Date:	January 2023	Area Name:	Public Area
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-149 Decorator's White Sherwin Williams: SW 7007 Ceiling Bright White		
Finish:	Semi-Gloss		



Notes: Painter to prep/prime existing trim elements as necessary to accept paint.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:


Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-14
Scheme:	Spring Scheme	Item Name:	Paint @ Public Space Ceilings & Soffits & ACT Ceiling Grid
Issue Date:	January 2023	Area Name:	Public Area
Revision:	04/2023 Δ1; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-149 Decorator's White Sherwin Williams: SW 7007 Ceiling Bright White		
Finish:	Flat		



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-15
Scheme:	Spring Scheme	Item Name:	Wall Paint @ Corridors, Hospitality Suite, Guest Laundry, Fitness Center & BOH
Issue Date:	January 2023	Area Name:	Public Area
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1591 Sterling Sherwin Williams: 7064 Passive		
Finish:	Eggshell		
Corner Guards:	In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0151 Graystone.		
	Ordering Contact: Chris Quasius, (800) 222-5556, hilton@inprocorp.com		

Notes: Δ8 See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-16
Scheme:	Spring Scheme	Item Name:	Wall Paint @ Brand Focal Wall, 1st Floor Elevator Lobby, & Fitness Accent
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 2145-10 Avocado Sherwin Williams: 6425 Relentless Olive		
Finish:	Eggshell		



Notes: Δ8 See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:


Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-17
Scheme:	Spring Scheme	Item Name:	Paint @ Indoor Pool & Pool Restroom Walls
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1591 Sterling Sherwin Williams: 7064 Passive		
Finish:	Δ8 Epoxy		



Notes: Product must be suitable for use in high humidity interior environment.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample


Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.



Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-18
Scheme:	Spring Scheme	Item Name:	Ceiling Paint @ Indoor Pool & Pool Restroom
Issue Date:	January 2023	Area Name:	Public Area
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: OC-149 Decorator's White Sherwin Williams: SW 7007 Ceiling Bright White		
Finish:	Semi-Gloss		



Notes: Product must be suitable for use in high humidity interior environment.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-19
Scheme:	Spring Scheme	Item Name:	Paint @ Breakfast Cabinets & Guestroom Wet/Dry Bar Millwork
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 2129-30 Blue Note Sherwin Williams: 7615 Sea Serpent		
Finish:	Satin		




Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.
Paint product must be highly durable, cleanable, and scratch-resistant.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-20
Scheme:	Spring Scheme	Item Name:	Overall Paint @ Building Exterior
Issue Date:	January 2023	Area Name:	Exterior
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1591 Sterling Sherwin Williams: SW 7064 Passive		
Finish:	Satin		

Notes: Building substrates will vary by property (EIFS, Brick, etc.). Painter must identify appropriate exterior paint product(s) to suit both the substrate and property site/climate conditions.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-21
Scheme:	Spring Scheme	Item Name:	Dark Accent/Inset Paint @ Building Exterior
Issue Date:	January 2023	Area Name:	Exterior
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1595 Rocky Coast Sherwin Williams: 7075 Web Gray		
Finish:	Satin		



Notes: Building substrates will vary by property (EIFS, Brick, etc). Painter must identify appropriate exterior paint product(s) to suit both the substrate and property site/climate conditions.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.


Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-22
Scheme:	Spring Scheme	Item Name:	Trim/Detail Paint @ Building Exterior
Issue Date:	January 2023	Area Name:	Exterior
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1600 Timber Wolf Sherwin Williams: 9162 African Gray		
Finish:	Satin		

Notes: Building substrates will vary by property (EIFS, Brick, etc). Painter must identify appropriate exterior paint product(s) to suit both the substrate and property site/climate conditions.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

- Instructions:
- Painter required to use 1 coat primer 2 coats paint minimum.
 - It is the responsibility of the owner to interpret these specifications for each property.
 - All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
 - All paints to be low VOC.
 - All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
 - Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-23
Scheme:	Spring Scheme	Item Name:	Paint @ Roof
Issue Date:	January 2023	Area Name:	Exterior
Revision:	Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1600 Timber Wolf Sherwin Williams: 9162 African Gray		
Finish:	Satin		



Notes: Roof substrates will vary by property. Painter must identify appropriate exterior paint product(s) to suit both the substrate and property site/climate conditions.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-24
Scheme:	Spring Scheme	Item Name:	Brand Focal @ Building Exterior
Issue Date:	January 2023	Area Name:	Exterior
Revision:	3/2024 Δ4; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer:	Benjamin Moore	Sherwin Williams
Phone:	Δ8 877-623-8484	Δ6 216.566.2052
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com

Description: Signature Spark branded painted mural at building exterior. Mural to be located near entry, underside of port cochre, and/or the most visible location on the building. Location will vary by property. Mural must contain all listed brand colors.

Color: Paint to Match:

- Slate - Sherwin Williams SW 9142 Moscow Midnight
- Violet - Sherwin Williams SW 6982 African Violet
- Dark Violet - Sherwin Williams SW 6545 Majestic Purple
- Lavender - Sherwin Williams SW 6822 Wisteria
- Lime - Sherwin Williams SW 6703 Frolic

Finish: Satin



Notes: Building substrates will vary by property (EIFS, Brick, etc). Painter must identify appropriate exterior paint product(s) to suit both the substrate and property site/climate conditions.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) PT-25
Scheme:	Spring Scheme	Item Name:	Wall Paint @ Entry Vestibule
Issue Date:	April 2023	Area Name:	Public Area
Revision:	7/2024 Δ5; Oct-2024 Δ6; Oct-2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	Benjamin Moore	Sherwin Williams	
Phone:	Δ8 877-623-8484	Δ6 216.566.2052	
E-mail:	Δ8 custcare@benjaminmoore.com	Δ6 hiltonhotels@sherwin.com	
Color:	Benjamin Moore: 1680 Hudson Bay Sherwin Williams: SW 7602 Indigo Batik		
Finish:	Satin		
Corner Guards:	In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0134 Cadet Blue.		
	Ordering Contact: Chris Quasius, (800) 222-5556, hilton@inprocorp.com		

Notes: Product must be suitable for use in high humidity interior environment.

See Spark by Hilton Implementation Guide and Architectural Drawing Set for details.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Painter required to use 1 coat primer 2 coats paint minimum.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- All paints to be low VOC.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) ST-10
Scheme:	Spring Scheme	Item Name:	Stone @ Reception Desk, Breakfast Millwork, Window Sills, and Guestroom Wet/Dry Bar Millwork
Issue Date:	January 2023	Area Name:	Public Area
Revision:	3/2024 Δ4; Oct-2024 Δ6	Program:	BASIS OF DESIGN
Manufacturer:	Email: Δ6	Phone: Δ6	
Daltile	hospitality@daltile.com	214-309-4531	
Product:	ONE Quartz Surfaces		
Color/Finish:	NQ30 Morning Frost / Polished		
Size/Dimensions:	2CM		
Edge Detail:	Eased Polished Edge		



Notes: Final dimensions will vary by property. Refer to Design Guides & Architectural Drawings for details.

Refer to Manufacturer's recommended installation instructions.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-01
Scheme:	Spring Scheme	Item Name:	Double Toilet Paper Holder @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Wingit Innovations, LLC**
 Phone: Δ7 886-990-0235
 E-mail: sales@wingits.com

Model Number: WMEDHTPHPS
 Model Name: Modern Elegance Double Horizontal Toilet Paper Holder
 Color/Finish: Polished Stainless Steel (Chrome)
 Size/Dimensions: 13"W x 3"D x 2"H: 0.625" Tube Diameter



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

To be mounted at underside of Linear Vanity, or at wall. Refer to Architectural Drawings for mounting locations.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-02
Scheme:	Spring Scheme	Item Name:	Single Toilet Paper Holder @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WMEHVTPHPS

Model Name: Modern Elegance Horizontal/Vertical Toilet Paper Holder

Color/Finish: Polished Stainless Steel (Chrome)

Size/Dimensions: 6"W x 3"D x 1.625"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

To be mounted at underside of Corner Vanity, or at wall. Refer to Architectural Drawings for mounting locations.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-03
Scheme:	Spring Scheme	Item Name:	Towel Ring @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WMETRINGS

Model Name: Modern Elegance Towel Ring

Color/Finish: Polished Stainless Steel (Chrome)

Size/Dimensions: 6"W x 3.625"D x 6.875"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme

Item Number: **(A) TA-04**
Item Name: Single Robe Hook @ Guest Bath

Issue Date: January 2023
Revision: Jun 2025 Δ7

Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WXESBRHPS

Model Name: Max Elegance Single Button Robe Hook

Color/Finish: Polished Stainless Steel (Chrome)

Size/Dimensions: 2"W x 2.125"D x 2"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-05
Scheme:	Spring Scheme	Item Name:	Double Robe Hook @ Guest Bath Door
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wingit Innovations, LLC		
Phone:	Δ7 886-990-0235		
E-mail:	sales@wingits.com		
Model Number:	WMEDRHPS		
Model Name:	Modern Elegance Double Robe Hook		
Color/Finish:	Polished Stainless Steel (Chrome)		
Size/Dimensions:	3.125"W x 2.5"D x 2"H		



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: Jun 2025 Δ7

Item Number: **(A) TA-06**
Item Name: 24" Towel Bar @ Guest Bath
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WMETBPS24

Model Name: Modern Elegance Towel Bar

Color/Finish: Polished Stainless Steel (Chrome)

Size/Dimensions: 24"W x 3"D x 2"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-07
Scheme:	Spring Scheme	Item Name:	18" Towel Bar @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Wingit Innovations, LLC
Phone:	Δ7 886-990-0235
E-mail:	sales@wingits.com

Model Number:	WMETBPS18
Model Name:	Modern Elegance Towel Bar
Color/Finish:	Polished Stainless Steel (Chrome)
Size/Dimensions:	18"W x 3"D x 2"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme

Item Number: **(A) TA-08**
Item Name: 24" Towel Rack w/ Hang Bar @ Guest Bath

Issue Date: January 2023
Revision: 3/2024 Δ4; Jun 2025 Δ7

Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Wingit Innovations, LLC**
Phone: Δ7 886-990-0235
E-mail: sales@wingits.com

Model Number: WIETRHBPS24
Model Name: Infinite Elegance Towel Rack With Hang Bar
Color/Finish: Polished Stainless Steel (Chrome)
Size/Dimensions: 26"W x 8-1/4"D x 5"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-09 Supplier A
Scheme:	Spring Scheme	Item Name:	Glass Shower Enclosure @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	3/2024 Δ4; Oct-2024 Δ6; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Mincey Marble**
 Phone: Δ7 770-532-0451
 E-mail: Δ7 sales@minceymarble.com

Model Number: BRUBP
 Model Name: Brunswick Bypass door
 Color/Finish: Polished Metal / Clear Tempered Glass
 Size/Dimensions: 76"H x 60"W - See Notes



Notes: Contractor & AOR MUST verify all existing conditions/dimensions and coordinate final shower door dimensions prior to purchasing.

(2) Sliding frameless bypass panels. Reversible - no need to specify lefts or rights.

Includes (2) 19" Towel Bars on glass doors.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-09 Supplier B
Scheme:	Spring Scheme	Item Name:	Glass Shower Enclosure @ Guest Bath
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun 2025 Δ7; Dec 2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer: **International Marble Industries - A Division of ABG Hospitality**

Phone: Δ8 317-835-9000

E-mail: Δ8 customerservice@mplcompany.net

Model Number: GD-SDSB

Model Name: Strata Double Bypass Sliding Door with Header

Color/Finish: Polished Chrome / Clear Tempered Glass

Size/Dimensions: 78"H x 60"W - See Notes

Notes: Contractor & AOR MUST verify all existing conditions/dimensions and coordinate final shower door dimensions prior to purchasing.

Dimensions:

- 48", 54", 60" widths available x 78" height
- Overhead clearance 75"
- Opening clearance 21 11/88" - 27 11/22", depending on door width
- Up to 4 in. in width adjustment
- Up to 3/8" out of plumb adjustment

Full framless, double bypass door design.

Anti-collision blocks in wall profiles to soften force on impact and keep doors locked in position.

Wall profiles for out of plumb adjustment.

Includes (2) towel bar style handles.



Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-10 Supplier A
Scheme:	Spring Scheme	Item Name:	Shower/Tub Surround Panel System @ Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	3/2024 Δ4; Oct-2024 Δ6; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Mincey Marble**
 Phone: Δ7 770-532-0451
 E-mail: Δ7 sales@minceymarble.com

Model Number: TS-VS
 Model Name: Vertical Vision
 Color/Finish: #2250 White / Matte
 Size/Dimensions: See Notes



Notes: Contractor MUST verify all on-site conditions prior to purchasing.

Panels to extend from top of shower/tub pan to ceiling. Finished edge of side panels to align with front edge of shower pan/tub. Panels to be cut to size in field as required.

1/4" Thick; Standard Panel Widths: 22", 30", 36", 50", 60"; Available up to 95"H

All silicone and caulking to match surround color.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-10 Supplier B
Scheme:	Spring Scheme	Item Name:	Shower/Tub Surround Panel System @ Guest Bath
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun 2025 Δ7; Dec 2025 Δ8	Program:	BASIS OF DESIGN

Manufacturer: **International Marble Industries - A Division of ABG Hospitality**

Phone: Δ8 317-835-9000

E-mail: Δ8 customerservice@mplcompany.net

Model Number: WS-TX-VT

Model Name: Vertical Textured Wall Surround

Color/Finish: White (SW) / Matte

Size/Dimensions: See Notes



Notes: Contractor MUST verify all on-site conditions prior to purchasing.

Panels to extend from top of shower/tub pan to ceiling. Finished edge of side panels to align with front edge of shower pan/tub. Panels to be cut to size in field as required.

5/16" Nominal Thickness (+/- 1/16" Variance)

Up to 95" Max Height

Back Wall Panel: 60" Max Width

Side Wall Panels: 36" Max Width

All silicone and caulking to match surround color.

Minimum order quantities apply.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-10.1 Supplier A
Scheme:	Spring Scheme	Item Name:	Footrest @ Shower
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	3/2024 Δ4; Oct-2024 Δ6; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Mincey Marble
Phone:	Δ7 770-532-0451
E-mail:	Δ7 sales@minceymarble.com

Model Number:	FR-05
Model Name:	15" Amenity Shelf
Color/Finish:	#2250 White / Matte
Size/Dimensions:	15"L x 4-3/4"D (tapers to 1/2") x 1-1/2"H



Notes:

Included Hardware: (3) #10 Stainless Steel Truss Head 3" Screws (to be used with blocking).

All silicone and caulking to match surround color.

Left / Right Hand conditions and quantities must be site verified prior to purchasing.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-10.1 Supplier B
Scheme:	Spring Scheme	Item Name:	Footrest @ Shower
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun 2025 Δ7; Dec 2025 Δ8	Program:	BASIS OF DESIGN
Manufacturer:	International Marble Industries - A Division of ABG Hospitality		
Phone:	Δ8 317-835-9000		
E-mail:	Δ8 customerservice@mplcompany.net		
Model Number:	See Notes		
Model Name:	15" Non-Slip Foot Rest		
Color/Finish:	White (SW) / Matte		
Size/Dimensions:	15"L x 4-3/4"D (tapers to 1/2") x 1/2"H		



Notes:

Two mounting options available:

- 3/4" Diameter Stainless Steel Standoffs w/ Truss Head Screws: Model #ACC-FR-NS15
- WingIts 3-3/4"L Fasteners: Model #ACC-FR-NS15-WIA

Holes are pre-drilled for easy install. Included hardware varies by model number (above).

All silicone and caulking to match surround color.

Left / Right Hand conditions and quantities must be site verified prior to purchasing.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: Jun. 2025 Δ7

Item Number: **(A) TA-11**
Item Name: Curved Shower Rod @ Tub
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WOCONPS5REN

Model Name: Contour Oval Curved Shower Rod - 5' Renovation

Color/Finish: Polished Stainless Steel (Chrome)

Size/Dimensions: 58.5-60"W (adjustable) x 6"D x 1.5"H



Notes: Renovation Kit includes stainless steel screws to install into structural blocking, plastic anchors, WINGITS anchors for use when blocking is not available, and waterproof adhesive template.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-12.ADA
Scheme:	Spring Scheme	Item Name:	18" Grab Bar @ Accessible Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Wingit Innovations, LLC
Phone:	Δ7 886-990-0235
E-mail:	sales@wingits.com

Model Number:	WGB5PS18
Model Name:	Standard Grab Bar - 18"
Color/Finish:	Polished Stainless Steel (Chrome)
Size/Dimensions:	21"W x 2.75"D x 3"H; 1.25" Tube Diameter



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-13.ADA
Scheme:	Spring Scheme	Item Name:	24" Grab Bar @ Accessible Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wingit Innovations, LLC		
Phone:	Δ7 886-990-0235		
E-mail:	sales@wingits.com		
Model Number:	WGB5PS24		
Model Name:	Standard Grab Bar - 24"		
Color/Finish:	Polished Stainless Steel (Chrome)		
Size/Dimensions:	27"W x 2.75"D x 3"H; 1.25" Tube Diameter		



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-14.ADA
Scheme:	Spring Scheme	Item Name:	36" Grab Bar @ Accessible Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wingit Innovations, LLC		
Phone:	Δ7 886-990-0235		
E-mail:	sales@wingits.com		
Model Number:	WGB5PS36		
Model Name:	Standard Grab Bar - 36"		
Color/Finish:	Polished Stainless Steel (Chrome)		
Size/Dimensions:	39"W x 2.75"D x 3"H; 1.25" Tube Diameter		



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-15.ADA
Scheme:	Spring Scheme	Item Name:	42" Grab Bar @ Accessible Guest Bath
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wingit Innovations, LLC		
Phone:	Δ7 886-990-0235		
E-mail:	sales@wingits.com		
Model Number:	WGB5PS42		
Model Name:	Standard Grab Bar - 42"		
Color/Finish:	Polished Stainless Steel (Chrome)		
Size/Dimensions:	45"W x 2.75"D x 3"H; 1.25" Tube Diameter		



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-16.ADA
Scheme:	Spring Scheme	Item Name:	Straight Shower Rod @ Accessible Roll-In Shower
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	4/2023 Δ1; Jun. 2025 Δ7	Program:	BASIS OF DESIGN
Manufacturer:	Wingit Innovations, LLC		
Phone:	Δ7 886-990-0235		
E-mail:	sales@wingits.com		
Model Number:	WOCONSTPS5MA		
Model Name:	CONTOUR TriRod Shower Rod - 5' Straight		
Color/Finish:	Polished Stainless Steel (Chrome)		
Size/Dimensions:	60"L x 1.5"W x 1.3"H		



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-17.ADA
Scheme:	Spring Scheme	Item Name:	Shower Seat @ Accessible Roll-In Shower
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WSLX

Model Name: Reversible L-Shaped Shower Seat

Color/Finish: White Phenolic

Size/Dimensions: See Notes



Notes: Multiple length options available based on existing RIS size & configuration. AOR/Interior Designer must verify RIS shower dimensions and layout and select appropriate product for site conditions.

WSLX260225PWREV: 26"W x 22.5"D x 17"-10"H (Adjustable)

WSLX280225PWREV: 28"W x 22.5"D x 17"-10"H (Adjustable)

WSLX320225PWREV: 32"W x 22.5"D x 17"-10"H (Adjustable)

Includes stainless steel screws and WINGITS fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision: Jun. 2025 Δ7

Item Number: **(A) TA-18.ADA**
Item Name: Folding Seat @ Accessible Tub
Area Name: Guestroom
Program: **BASIS OF DESIGN**

Manufacturer: **Wingit Innovations, LLC**

Phone: Δ7 886-990-0235

E-mail: sales@wingits.com

Model Number: WBTE290150PW

Model Name: Rectangular End Mount Tub Bench Without Skis

Color/Finish: White Phenolic

Size/Dimensions: 15"W x 29"L



Notes: Tub Bench must be installed according to ADAAG standards - mounting heights/location to be provided by AOR based on specific property conditions.

Includes Stainless steel screws and WINGITS Fasteners for installation.

Portable Tub Bench WHPTB265150PW is available for properties with existing subs to remain. Portable bench is suitable for use with tubs 13.5"-15.5" AFF. AOR/Interior Designer must verify existing property conditions and confirm product is appropriate for site specific use.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Arch Finish/Fixture Specs	Item Number:	(A) TA-19
Scheme:	Spring Scheme	Item Name:	18" Towel Rack
Issue Date:	March 2024	Area Name:	Guestroom
Revision:	3/2024 Δ4; Jun. 2025 Δ7	Program:	BASIS OF DESIGN

Manufacturer:	Wingit Innovations, LLC
Phone:	Δ7 886-990-0235
E-mail:	sales@wingits.com

Model Number:	WIETRHBP518
Model Name:	Infinite Elegance Towel Rack With Hang Bar
Color/Finish:	Polished Stainless Steel (Chrome)
Size/Dimensions:	20"W x 8-1/4"D x 5"H



Notes: Includes Stainless steel screws and WINGITS Fasteners for installation.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards


Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the Owner to verify this item meets and passes local accessibility codes.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision:

Item Number: **(A) WD-11**
Item Name: Wood Frame @ Fitness & Public Restroom
Area Name: Public Area
Program: **BASIS OF DESIGN**

Manufacturer: **TO BID**
Description: Painted Wood Trim to be Installed Around Polished Plate Glass Mirror at Fitness Center and Public Restroom.
Refer to MR-10 for Mirror Details.
Color/Finish: PT-11: Refer to Paint Specification for Details
Dimensions: 2-1/2"H x 3/4"H
Edge Profile: Flat-Profile with 1/16" Eased Edge



Notes: Wood frame to be mitered at all corners.

Refer to Architectural Drawing Set & Implementation Guide for Locations.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:


- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Arch Finish/Fixture Specs
Scheme: Spring Scheme
Issue Date: January 2023
Revision:

Item Number: **(A) WD-12**
Item Name: Wood Base @ Public Areas
Area Name: Public Area
Program: **BASIS OF DESIGN**

Manufacturer: **TO BID**

Description: Painted Wood Trim With Chamfered Edge
Color/Finish: PT-12: Refer to Paint Specification for Details
Dimensions: 6"H x 3/4"H
Edge Profile: Chamfered



Notes: Refer to Architectural Drawing Set & Implementation Guide for Locations.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample

Manufacturer to confirm the Product meets Hilton Design and Construction Standards

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specs
Scheme: Spring Scheme
Issue Date: December 2023
Revision: Jun. 2025 Δ7


Item Number: **(B) SF-11**
Item Name: Elevator Cab Kit
Area Name: Public Area
Program: **BASIS OF DESIGN**

Manufacturer: **Inpro**
Phone: Δ7 800.222.5556
E-mail: Δ7 hilton@inprocorp.com

Description: Retrofit Elevator refinishing package for use when existing cab wall conditions must be updated.

Complete system includes Palladium Fully Wrapped Vinyl Beveled Edge Panels, Ascend Clip Mounting System, Metal Handrails, and Trim. Ceiling update is available if needed.

Product: Ascend Elevator Protection System - See Notes
Color/Finish: Panels: 0559 Beechwood
Trim/Handrail: Brushed Stainless Steel #4
Size/Dimensions: Varies - Based on Existing Elevator Cab Size/Capacity



Notes: Cab Style: Zenith
Handrails: Round 1-1/2"

Class A Fire-Rating - Meets Code requirements for elevator cab interiors.

All components are fabricated to a property's exact dimensions and utilize a factory installed interlocking aluminum clip system for easy installation.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.