



Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package
April 2023

Revised
October 2023
December 2023
January 2024
March 2024
July 2024
October 2024
December 2024
June 2025
December 2025

Summary of Changes

Date	Item Number	Description
April 2023	E-01, E-02	New Specification
	QT-10 Supplier A, QT-10.1 Supplier A, T-01 Supplier A, T-01.1 Supplier A, T-02 Supplier A, T-10 Supplier A, T-11 Supplier A, T-12 Supplier A, T-12.1 Supplier A	Vendor Info Updated
	RB-01 Supplier A, RB-01 Supplier B	New Specification
	RB-10 Supplier A, RB-10 Supplier B	Item Description Updated with New Location
	SF-1D, SF-10E, SF-10F	New Specification
	T-10 Supplier A, T-10 Supplier B	Item Description Updated with New Location
	WC-10	Item Description Updated with New Location
October 2023	SF-10F	Revised tile quantity
	WC-15	Product Updated
December 2023	CP-14.1 Supplier A	Specification Added
	WC-01, WC-03, WC-10, WC-12, WC-13, WC-14, WC-15, WC-16	Specification Updated
	Removed OFCI throughout document	
	SF-11	Specification Removed
	Supplemental Information & Introduction	Pages Added
January 2024	CP-01A, CP-01B, CP-01.1A, CP-01.1B, CP-10A, CP-10B, CP-10.1A, CP-10.1B, CP-11A, CP-11B, CP-12A, CP-12B, CP-13A, CP-13B, CP-12A, CP-14B, CP-14.1A, E-01, E-02, L-10, PF-01, PF-02, PF-03, QT-10A, QT-10B, QT-10.1A, QT-10.1B, RB-01A, RB-01B, RB-10A, RB-10B, RB-11A, RB-11B, RES-10, SDT-10, SF-10.1, SF-10.2, SF-10.3, T-01A, T-01B, T-01.1A, T-01.1B, T-02A, T-02B, T-10A, T-10B, T-11A, T-11B, T-12A, T-12B, T-12.1A, T-12.1B, VCT-10, WC-01, WC-02, WC-03, WC-10, WC-11, WC-12, WC-13, WC-14, WC-15, WC-16, WD-10	Specification Updated

**Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package**



	SF-10.1, SF-10.2, SF-10.3	Specification Updated
	SF-10D, SF-10E, SF-10F	Specification Removed
	Supplemental Information and Introduction	Pages Updated
March 2024	CP-14.1 Supplier B, CP-14 PAD, E-03, E-04	Specification Added
	L-10	Specification Updated to be Optional
	WC-01, WC-02, WC-03, WC-10, WC-11, WC-12, WC-13, WC-14, WC-15, WC-16	Specification Updated - Coordinating Paint Noted
	Supplemental Information	Page Updated
July 2024	CP-15 Supplier A & CP-15 Supplier B	Specification Added
October 2024 Δ7	CP-10 Supplier A & CP-10 Supplier B	Specification Updated
December 2024 Δ7	Supplier A and B: RES-01 (OPTIONAL) SF-10.2 & 10.3	Specification Added Item Number Correction
June 2025 Δ8	CP-14.1 & CP-15	Specification Deleted
	CP-10, 10.1, 12, 14 & 14 PAD Supplier B: RES-01 WC-02 & 11 WD-10	Specification Updated
	CP-14 PAD Supplier C SDT-10 Supplier B VCT-10 Supplier B	Specification Added
	All Wallcovering (Corner Guards)	Vendor Contact Updated
December 2025 Δ9	SDT-10 Supplier A	Specification Deleted

Supplemental Information

The below documents can be found on the designinformation.hilton.com.

- **Implementation Guide:** This document gives the owner and the professional teams the knowledge and insights how to implement the required package into their unique property. The required brand aesthetics, functionality and experiences are achieved by following the guidance provided.
- **Spark Brand Standards:** This document lists the minimum standards, procedures, rules, regulations, policies, and techniques required by the Spark Brand and Hilton.

Program Type

- **Required Vendor:** Vendor specified herein as manufacturers are required and have been selected through an extensive sourcing, product development, and vetting effort. Required Vendor have the necessary experience with the specified products, including pre-approved drawings and samples. Required Vendor have committed to ensuring all products meet or exceed Spark Brand Standards and upholding Hilton's Responsible Sourcing Policy.

Project Procurement

- Hilton Supply Management (HSM) will be your required partner for the procurement services of the Spark by Hilton package.

Notes

- It is the Owner's/Designer's responsibility to maintain the required package and adapt all required elements to their property's conditions and code requirements prior to fabrication and installation.

Introduction

The Spark Fall and Spring prototypical décor packages have been thoughtfully designed by Hilton to provide a complete décor solution. The vendors and their products were chosen through an extensive sourcing process and represent a high-quality, economical, and streamlined solution for the Spark Brand property. When used holistically, the package with the specified vendors is pre-approved and will help expedite project approvals and procurement. Refer to Project HUB for submittal requirements.

Within this document are the Finish specifications needed to implement the Spark Fall prototypical décor scheme. Along with the Implementation Guide, the Spark Brand Standards, and the Architectural Prototype Drawings, these specifications will assist the Owner/Designer in completing their renovation to a Spark Brand property.

All vendors and specified products outlined in this document are required, deviations are not approved. All items to be procured through Hilton Supply Management.

If there are any questions about how to use this document, please contact Architecture, Design & Construction at design.review@hilton.com.

Submit the Fall or Spring specifications to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.

If there are any questions regarding procurement, please contact Hilton Supply Management. Connect with the HSM team of procurement experts at HSMx@Hilton.com.

Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package



Index

Project Name: Spark by Hilton Finish Specificati

Scheme: Spring Scheme

Area: Guestroom & Public Areas

Issue Date	Rev.	Item #	Supplier	Item Description	Vendor
CARPET					
April 2023	Δ4	(A) CP-01	A	Carpet Tile @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-01	B	Carpet Tile @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-01.1	A	Carpet Base @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-01.1	B	Carpet Base @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-10	A	Carpet Tile @ Corridors, Hospitality Suite, & Elevator Cab	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-10	B	Carpet Tile @ Corridors, Hospitality Suite, & Elevator Cab	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-10.1	A	Carpet Base @ Corridors, Stairwells & BOH	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-10.1	B	Carpet Base @ Corridors, Stairwells & BOH	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-11	A	Carpet Tile @ Lobby & Reception (Guest Side)	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-11	B	Carpet Tile @ Lobby & Reception (Guest Side)	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-12	A	Area Rug @ Lobby & Reception (Guest Side)	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-12	B	Area Rug @ Lobby & Reception (Guest Side)	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-13	A	Carpet Tile @ Reception (Service Side), BOH (option), & Large Fully Carpeted Lobbies	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) CP-13	B	Carpet Tile @ Reception (Service Side), BOH (option), & Large Fully Carpeted Lobbies	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-14	A	Δ8 Broadloom Carpet @ Lobby Stairs, Stairwells & BOH	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-14	B	Δ8 Broadloom Carpet @ Lobby Stairs, Stairwells & BOH	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) CP-14.1	A	DELETED	
April 2023	Δ8	(A) CP-14.1	B	DELETED	
March 2024	Δ8	(A) CP-14 PAD	A	Broadloom Carpet Pad @ Δ8 BOH (OPTIONAL)	REQUIRED VENDOR/DESIGN
March 2024	Δ8	(A) CP-14 PAD	B	Broadloom Carpet Pad @ Δ8 BOH (OPTIONAL)	REQUIRED VENDOR/DESIGN
June 2025	Δ8	(A) CP-14 PAD	C	Broadloom Carpet Pad @ BOH (OPTIONAL)	REQUIRED VENDOR/DESIGN
Dec 2024	Δ8	(B) CP-15	A	DELETED	
Dec 2024	Δ8	(B) CP-15	B	DELETED	

Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package



EQUIPMENT				
April 2023	Δ4	(A) E-01	Television	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) E-02	Refrigerator	REQUIRED VENDOR/DESIGN
March 2024	Δ5	(A) E-03	Television Wall Mount Bracket	REQUIRED VENDOR/DESIGN
March 2024	Δ5	(A) E-04	Microwave (OPTIONAL)	REQUIRED VENDOR/DESIGN
LIGHTING				
April 2023	Δ5	(A) L-10	String Lights @ Entry Vestibule (OPTIONAL)	REQUIRED VENDOR/DESIGN
PLUMBING FIXTURES				
April 2023	Δ4	(A) PF-01	Guest Bath Vanity Sink Basin	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) PF-02	Guest Bath Vanity Faucet	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) PF-03	Shower Head	REQUIRED VENDOR/DESIGN
QUARRY TILE				
April 2023	Δ4	(A) QT-10	A Quarry Tile @ Breakfast Prep	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) QT-10	B Quarry Tile @ Breakfast Prep	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) QT-10.1	A Quarry Tile Base @ Breakfast Prep	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) QT-10.1	B Quarry Tile Base @ Breakfast Prep	REQUIRED VENDOR/DESIGN
RESILIENT BASE				
April 2023	Δ4	(A) RB-01	A Resilient Base @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RB-01	B Resilient Base @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RB-10	A Resilient Base @ Fitness, BOH, and Stairwells	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RB-10	B Resilient Base @ Fitness, BOH, and Stairwells	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RB-11	A Resilient Base @ Lobby & Hospitality Suite	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RB-11	B Resilient Base @ Lobby & Hospitality Suite	REQUIRED VENDOR/DESIGN
RESILIENT FLOORING				
Dec 2024	Δ7	(A) RES-01	A LVT Flooring @ Guestroom (OPTIONAL)	REQUIRED VENDOR/DESIGN
Dec 2024	Δ8	(A) RES-01	B LVT Flooring @ Guestroom (OPTIONAL)	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) RES-10	Resilient Flooring @ Fitness	REQUIRED VENDOR/DESIGN
STATIC DISSIPATIVE TILE				
April 2023	Δ9	(A) SDT-10	A DELETED	REQUIRED VENDOR/DESIGN
June 2025		(A) SDT-10	Static Dissipative Tile @ PBX	REQUIRED VENDOR/DESIGN

Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package



SPECIALTY FINISH				
April 2023	Δ4	(A) SF-10.1	Etched Acoustical Tile @ Brand Focal Wall	REQUIRED VENDOR/DESIGN
April 2023	Δ7	(A) SF-10.2	Etched Acoustical Tile @ Brand Focal Wall	REQUIRED VENDOR/DESIGN
April 2023	Δ7	(A) SF-10.3	Etched Acoustical Tile @ Brand Focal Wall	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) SF-10D	REMOVED	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) SF-10E	REMOVED	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) SF-10F	REMOVED	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) SF-11	REMOVED	
TILE				
April 2023	Δ4	(A) T-01	A Tile @ Guest Bath Floor & Public Restroom Floor/Wet Wall	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-01	B Tile @ Guest Bath Floor & Public Restroom Floor/Wet Wall	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-01.1	A Tile Base @ Guest Bath & Public Restroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-01.1	B Tile Base @ Guest Bath & Public Restroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-02	A Mosaic Tile @ Guest Bath RIS Floor & Pool Waterline	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-02	B Mosaic Tile @ Guest Bath RIS Floor & Pool Waterline	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-10	A Tile @ Lobby, Elevator Cab, Guest Laundry and Breakfast	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-10	B Tile @ Lobby, Elevator Cab, Guest Laundry and Breakfast	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-11	A Wall Tile @ Breakfast Buffet	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-11	B Wall Tile @ Breakfast Buffet	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-12	A Tile @ Indoor Pool Floor/Wall & Pool Restroom Floors/Wet Walls	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-12	B Tile @ Indoor Pool Floor/Wall & Pool Restroom Floors/Wet Walls	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-12.1	A Tile Base @ Indoor Pool & Pool Restroom	REQUIRED VENDOR/DESIGN
April 2023	Δ4	(A) T-12.1	B Tile Base @ Indoor Pool & Pool Restroom	REQUIRED VENDOR/DESIGN
VINYL COMPOSITE TILE				
April 2023	Δ4	(A) VCT-10	A VCT @ BOH	REQUIRED VENDOR/DESIGN
June 2025	Δ8	(A) VCT-10	B VCT @ BOH	REQUIRED VENDOR/DESIGN

Finish Specifications - (A) Spring Scheme
Required Hilton Supply Management Procurement Package



WALLCOVERING				
April 2023	Δ8	(A) WC-01	Overall Wallcovering @ Guest Bath & Public Restrooms	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-02	Accent Wallcovering @ Guest Bath	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-03	Overall Wallcovering @ Guestroom	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-10	Overall Wallcovering @ Corridors, Hospitality Suite, Guest Laundry & Fitness Center	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-11	Accent Wallcovering @ Guestroom Window Wall, Corridor Door Drops, & Hospitality Suite Niche	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-12	Overall Wallcovering @ Lobby	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-13	Accent Wallcovering @ Reception & Lobby	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-14	Wallcovering @ Entry Vestibule	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-15	Accent Wallcovering @ Brand Focal Wall, Breakfast, 1st Floor Elevator Lobby, & Fitness	REQUIRED VENDOR/DESIGN
April 2023	Δ8	(A) WC-16	Wallcovering @ BOH	REQUIRED VENDOR/DESIGN
WOOD				
April 2023	Δ8	(A) WD-10	Wood Tambour Cladding @ Reception Desk & Breakfast	REQUIRED VENDOR/DESIGN

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-01 Supplier A
Scheme:	Spring Scheme	Item Name:	Carpet Tile @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		

Description: Loop Construction Overall Guestroom Carpet Tile

Style Number: HL37T

Color: 307

Tile Size: 24" x 24"

Type: Dynamics Servo-Scroll Loop

Repeat: 24" x 36"

Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Weight: 20 oz.

Primary Backing: Woven Polypropylene

Secondary Backing: Ethos Modular with Omnicoat Technology

Pile Height: 0.218" High / 0.156" Med. / 0.125" Low

Gauge: 1/10

Stitches per Inch: 9

Dye Method: Solution Dyed

Installation Method: Direct Glue, Quarter Turn



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) CP-01 Supplier B**
Item Name: Carpet Tile @ Guestroom
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Loop Construction Overall Guestroom Carpet Tile

Style Number: BS726

Color: D8514

Tile Size: 24" x 24"

Type: Carpet Tile - Dynamics, Servo-Scroll Loop

Repeat: 24" x 24"

Content: Eco-Solution Q Nylon

Weight: 20 oz.

Primary Backing: Woven Polypropylene

Secondary Backing: Ecoworx Backing

Pile Height: 0.218" High / 0.156" Med. / 0.125" Low

Gauge: 1/10

Stitches per Inch: 9 Stitches Approx.

Dye Method: Solution Dyed

Installation Method: Direct Glue, Monolithic



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-01.1 Supplier A
Scheme:	Spring Scheme	Item Name:	Carpet Base @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Cut Pile Carpet Base with Bound Edge to Match
Carpet Color.

Style Number: 728S

Color: Color 8504

Tile Size: 4"H

Type: Broadloom - CPG, Cut Pile Graphics

Repeat: 0.25"W x 0.25"L

Content: 100% C.F. Lextron Enviro-Green Solution Dyed
Nylon

Weight: 26 oz.

Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: 0.250"

Gauge: 1/10


Stitches per Inch: 9

Dye Method: Solution Dyed

Installation Method: Direct Glue

Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.



Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-01.1 Supplier B
Scheme:	Spring Scheme	Item Name:	Carpet Base @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Description:	Loop Pile Carpet Base with Bound Edge to Match Carpet Color.		
Style Number:	BS741-E3069		
Color:	970EF		
Tile Size:	4"H		
Type:	Broadloom - Level Loop Straight		
Repeat:	Solid		
Content:	Eco-Solution Q Nylon		
Weight:	28 oz.		
Primary Backing:	Woven Polypropylene		
Secondary Backing:	ClassicBac		
Pile Height:	0.187"		
Gauge:	1/10		
Stitches per Inch:	10.83		
Dye Method:	Solution Dyed		
Installation Method:	Direct Glue		
Flame Requirement:	Meets or Exceeds Requirement Class 1		
Notes:	Refer to manufacturer seaming diagram for installation pattern and guidelines.		

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-10 Supplier A**
Item Name: Carpet Tile @ Corridors, Hospitality Suite, and Elevator Cab

Issue Date: January 2023
Revision: 01/2024 Δ3; Oct-2024 Δ7

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Δ7 Carpet Tile at Corridors, Hospitality Suite and Elevator Cabs

Style Number: Δ7 HL49T
Color: Δ7 c.558
Tile Size: Δ7 24"x24"
Type: Δ7 Carpet Tile - Intrepid
Content: Δ7 100% Solution Dyed Nylon
Weight: 22 oz.
Primary Backing: Δ7 Woven Polypropylene
Secondary Backing: Flex-Aire Modular® Cushion
Pile Height: Δ7 0.164 in
Gauge: 1/10
Stitches per Inch: Δ7 9
Dye Method: 100% Solution Dyed
Installation Method: Direct Glue



Installation Pattern: Δ8 Monolithic
Δ7

Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagrams for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:


- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-10 Supplier B
Scheme:	Spring Scheme	Item Name:	Carpet Tile @ Corridors, Hospitality Suite, and Elevator Cab
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4; Oct-24 Δ7; Jun-25 Δ8	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Δ7 Carpet Tile at Corridors, Hospitality Suite and Elevator Cabs

Style Number: Δ8 BS54S
 Color: Δ7 H0999
 Tile Size: Δ7 24"x24"
 Type: Δ7 Carpet Tile
 Repeat: Δ7 24" x24"
 Content: Δ7 Eco-Solution Q Yarn
 Weight: Δ7 22 oz.
 Primary Backing: Δ7 Polypropylene
 Secondary Backing: Δ7 Ecologix Cushion
 Pile Height: Δ7 .25"
 Gauge: 1/10
 Stitches per Inch: Δ7 7.83
 Dye Method: Δ7 Solution Dyed
 Installation Method: Direct Glue



Installation Pattern: Δ8 Monolithic
 Δ7

Flame Requirement: Meets or Exceeds Requirement Class 1


Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-10.1 Supplier A
Scheme:	Spring Scheme	Item Name:	Carpet Base @ Corridors, Δ8 Stairwells & BOH
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4; Jun-25 Δ8	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Description:	Δ8 Carpet Wall Base		
Style Number:	728S		
Color:	Δ8 x391		
Tile Size:	4"H		
Type:	Δ8 CPG, Cut Pile Graphics		
Repeat:	0.25"W x 0.25"L		
Content:	100% C.F. Lextron Enviro-Green Solution Dyed Nylon		
Weight:	26 oz.		
Primary Backing:	Woven Polypropylene		
Secondary Backing:	Action Bac		
Pile Height:	0.250"		
Gauge:	1/10		
Stitches per Inch:	Δ8 10		
Dye Method:	Solution Dyed		
Installation Method:	Δ8 Direct Glue Stairs & BOH. Stretch in if carpet pad is used BOH.		
Flame Requirement:	Meets or Exceeds Requirement Class 1		
Notes:	Refer to manufacturer seaming diagram for installation pattern and guidelines.		



Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-10.1 Supplier B**
Item Name: Carpet Base @ Corridors, Δ8 Stairwells & BOH

Issue Date: January 2023
Revision: 01/2024 Δ4; Jun-25 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Loop Pile Carpet Base with Bound Edge to Match Carpet Color.

Style Number: Δ8 BS734

Color: Δ8 E2705

Tile Size: 4"H

Type: Broadloom - Level Loop Straight

Repeat: Solid

Content: Eco-Solution Q Nylon

Weight: 28 oz.

Primary Backing: Woven Polypropylene

Secondary Backing: Ecoworx


Pile Height: 0.187"

Gauge: 1/10

Stitches per Inch: 10.83

Dye Method: Solution Dyed

Installation Method: Direct Glue



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-11 Supplier A**
Item Name: Carpet Tile @ Lobby & Reception (Guest Side)

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Inset Carpet Tile @ Lobby and Reception
Style Number: HL41T
Color: 401
Width or Rug Size: 9" x 36"
Type: Intrepid Multi-Level Loop
Repeat: 74" x 36"
Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon
Weight: 24 oz.
Primary Backing: Woven Polypropylene
Secondary Backing: Ethos Modular with Omnicoat Technology
Pile Height: .200" High / .152" Med.
Gauge: 1/10
Stitches per Inch: 7
Dye Method: 100% Solution Dyed
Installation Method: Direct Glue, Ashler



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: (A) CP-11 Carpet tile to be used when existing property conditions have carpet inset into hard surface flooring, or as an accent in a fully carpeted lobby. Refer to Implementation Guide for design intent carpet/area rug locations.
Refer to manufacturer seaming diagram for installation pattern and guidelines.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-11 Supplier B
Scheme:	Spring Scheme	Item Name:	Carpet Tile @ Lobby & Reception (Guest Side)
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Inset Carpet Tile @ Lobby and Reception

Style Number: BS672

Color: D3193

Width or Rug Size: 9" x 36"

Type: Carpet Tile - Multituft Full Repeat

Content: Eco-Solution Q Nylon

Weight: 22 Oz/Yd2

Primary Backing: Synthetic

Secondary Backing: EcoWorx

Pile Height: 0.187 in

Gauge: 1/10 in

Stitches per Inch: 11.83 per in.

Dye Method: 100% Solution Dyed

Installation Method: Direct Glue, Ashlar



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: (A) CP-11 Carpet tile to be used when existing property conditions have carpet inset into hard surface flooring, or as an accent in a fully carpeted lobby. Refer to Implementation Guide for design intent carpet/area rug locations.
Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-12 Supplier A
Scheme:	Spring Scheme	Item Name:	Area Rug @ Lobby & Reception (Guest Side)
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4; Jun-25 Δ8	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Δ8 Bound Area Rug @ Lobby and Reception

Style Number: HL52R

Color: 552

Width or Rug Size: Varies - See Notes

Type: Broadloom - Intrepid Multi-Level Loop

Repeat: 36" x 36.6"

Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Weight: 36 oz.

Δ8 Edge Finishing: Bound 1/2" Coordinating Tape binding
Tape Binding Color: 550

Primary Backing: Woven Polypropylene

Secondary Backing: Unitary Actionbac (Non-Skid Backing)

Pile Height: .258" High / .217" Med.

Gauge: 1/10

Stitches per Inch: 7

Dye Method: 100% Solution Dyed

Installation Method: Loose Laid - Must have Non-Skid Backing



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: (A) CP-12 Area rug to be used in place of (A) CP-11 in properties with existing hard surface flooring that does not allow for carpet insets. Refer to Implementation Guide for design intent carpet/area rug locations.

Area rug sizes and quantity will vary per property.

Edge binding must be ADA compliant. Color to match prominent color in carpet pattern.
Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-12 Supplier B**
Item Name: Area Rug @ Lobby & Reception (Guest Side)

Issue Date: January 2023
Revision: 01/2024 Δ4; Jun-25 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Area Rug @ Lobby and Reception

Style Number: BS674

Color: D3178

Width or Rug Size: See Notes.

Type: Broadloom - Colorpoint

Content: Eco-Solution Q Nylon

Weight: 23 Oz/Yd2

Δ8 Edge Finishing: Bound 1/2" Coordinating Tape binding
Tape Binding Color: 559

Primary Backing: Synthetic

Secondary Backing: Ultraloc

Pile Height: 0.187 in

Gauge: 1/10 in

Stitches per Inch: 8.0 per in.

Dye Method: 100% Solution Dyed

Installation Method: Loose Laid - Must have Non-Skid Backing

Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: (A) CP-12 Area rug to be used in place of (A) CP-11 in properties with existing hard surface flooring that does not allow for carpet insets. Refer to Implementation Guide for design intent carpet/area rug locations.

Area rug sizes and quantity will vary per property.

Edge binding must be ADA compliant. Color to match prominent color in carpet pattern.
Refer to manufacturer seaming diagram for installation pattern and guidelines.



Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-13 Supplier A**
Item Name: Carpet Tile @ Reception (Service Side), BOH (option), & Large Fully Carpeted Lobbies

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Carpet Tile at Service Side of Reception Desk, Back of House, and Large Fully Carpeted Lobbies

Style Number: HL45T
Color: 288
Width or Rug Size: 9" x 36"
Type: Intrepid Multi-Level Loop
Repeat: 74" x 36"
Content: Solution Dyed
Weight: 24 oz.
Primary Backing: Woven Polypropylene
Secondary Backing: Ethos Modular with Omnicoat Technology
Pile Height: .218" High / .156" Med. / .125" Low
Gauge: 1/10
Stitches per Inch: 9
Dye Method: Solution Dyed
Installation Method: Direct Glue - Ashlar
Flame Requirement: Meets or Exceeds Requirement Class 1



Notes: In properties with large lobbies that are fully carpeted, (A) CP-13 carpet tile to be used as the overall field carpet pattern, with inset accents of (A) CP-11 Lobby Carpet Tile. Refer to Implementation Guide for design direction.
Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-13 Supplier B**
Item Name: Carpet Tile @ Reception (Service Side), BOH (option), & Large Fully Carpeted Lobbies

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Carpet Tile at Service Side of Reception Desk, Back of House, and Large Fully Carpeted Lobbies

Style Number: BS676
Color: D3190
Width or Rug Size: 9" x 36"
Type: Carpet Tile - Multituft Full Repeat
Content: Eco Solution Q Nylon
Weight: 22 Oz/Yd2
Primary Backing: Synthetic
Secondary Backing: EcoWorx
Pile Height: 0.187 in
Gauge: 1/10 in
Stitches per Inch: 11.83 per in.
Dye Method: 100% Solution Dyed
Installation Method: Direct Glue - Ashlar



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: In properties with large lobbies that are fully carpeted, (A) CP-13 carpet tile to be used as the overall field carpet pattern, with inset accents of (A) CP-11 Lobby Carpet Tile. Refer to Implementation Guide for design direction.
Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-14 Supplier A**
Item Name: Δ8 Broadloom Carpet @ Lobby Stairs, Stairwells & BOH

Issue Date: January 2023
Revision: 01/2024 Δ4; Jun-25 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Broadloom Carpet
Style Number: Δ8 HL48B
Color: Δ8 c.683
Width or Rug Size: 12'
Type: Δ8 Intrepid Multi-level loop/cut
Repeat: Δ8 72"W X 76"L
Content: 100% Solution Dyed Lextron Enviro Green Nylon
Weight: 36 oz
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary Actionbac
Pile Height: Δ8 0.375"
Gauge: 1/10
Stitches per Inch: Δ8 10
Dye Method: Solution Dyed
Installation Method: Δ8 Direct Glue @ Lobby Stairs & Stairwells;
Stretch in if optional carpet pad is used @ BOH
Flame Requirement: Meets or Exceeds Requirement Class 1



Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme


Item Number: **(A) CP-14 Supplier B**
Item Name: Δ8 Broadloom Carpet @ Lobby
Stairs, Stairwells & BOH

Issue Date: January 2023
Revision: 01/2024 Δ4; Jun-25 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Broadloom Carpet
Style Number: Δ8 B101S
Color: Δ8 H5433
Width or Rug Size: 12'
Type: Broadloom - Multi-Level Pattern Loop
Repeat: Δ8 72" x 81.6"
Content: Eco Solution Q Nylon
Weight: Δ8 28 oz.
Primary Backing: Synthetic
Secondary Backing: Classicbac
Pile Height: Δ8 0.156 in.
Gauge: 1/10 in.
Stitches per Inch: Δ8 12.5 per in.
Dye Method: 100% Solution Dyed
Installation Method: Direct Glue



Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: Refer to manufacturer seaming diagram for installation pattern and guidelines.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-14 PAD Supplier A**
Item Name: Broadloom Carpet Pad @ Δ8 BOH (optional)

Issue Date: March 2024
Revision: 03/2024 Δ5; Jun-25 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Optional Carpet Pad for Use with Broadloom Installation.

Style Number: Hospitality 32

Color: Gray

Width or Rug Size: 6' x 60' (40/SY)

Type: Padding Stretch In

Content: Synthetic Fiber

Weight: 32 oz

Height: 0.335"



Installation Method: Direct Glue

Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: May only be used with CP-14 broadloom carpet installation.
Carpet pad is not required but may be used per owner direction.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) CP-14 PAD Supplier B
Scheme:	Spring Scheme	Item Name:	Broadloom Carpet Pad @ Δ8 BOH (optional)
Issue Date:	March 2024	Area Name:	Public Area
Revision:	03/2024 Δ5; Jun-25 Δ8	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Description:	Optional Carpet Pad for Use with Broadloom Installation.		
Style Number:	DS-34		
Width or Rug Size:	40sy per Roll		
Type:	Padding Double Stick		
Repeat:	6' x 60'		
Content:	Double Stick Fiber Pad		



Installation Method:	Double Stick Application / Floor to Pad General Adhesive / Pad to carpet Tile Releasable Adhesive
Flame Requirement:	Meets or Exceeds Requirement Class 1
Notes:	May only be used with CP-14 broadloom carpet installation. Carpet pad is not required but may be used per owner direction.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) CP-14 PAD Supplier C**
Item Name: Broadloom Carpet Pad @ BOH (optional)

Issue Date: June 2025

Area Name: Public Area

Revision:

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Optional Carpet Pad for use with Broadloom Installation.

Style Number: Eco Performance Plus

Width or Rug Size: 6' x 60'

Type: Stretch In

Content: 100% Post Consumer Synthetic Fiber

Weight: 32 oz.



Installation Method: Direct Glue

Flame Requirement: Meets or Exceeds Requirement Class 1

Notes: May only be used with CP-14 broadloom carpet installation.
Carpet pad is not required but may be used per owner direction.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendations.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: April 2023
Revision: 01/2024 Δ4

Item Number: **(A) E-01**
Item Name: Television
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: 50" UT570H series UHD TV
Model/Finish: 50UT570H9UA / Ceramic Black
Dimension: 44.5"W x 26.1"H x 3.4"D Without Stand
44.5"W x 30.4"H x 11.9"D With Stand



Notes:

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: April 2023
Revision: 01/2024 Δ4

Item Number: **(A) E-02**
Item Name: Refrigerator
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Danby Designer 1.7 cu. ft. Compact Fridge
Model/Finish: DAR017A2BDD / Black
Dimension: 17-11/16"W x 20-1/16"D x 20-1/16"H



Notes:

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: March 2024
Revision: 03/2024 Δ5

Item Number: **(A) E-03**
Item Name: Television Wall Mount Bracket
Area Name: Guestroom
Program: **REQUIRED VENDOR / DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Universal Flat TV Wall Mount for 32" to 50" Displays

Model/Finish: SF640 / Black

Dimension: 19.37"W x 16.89"H x 1.20"D



Notes: Bracket to be used in coordination with E-01 Television when GR-359 TV Wall Panel is installed in guestrooms.
Model includes security mount hardware. Manufacturer to provide all parts required for assembly and installation.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: March 2024
Revision: 03/2024 Δ5

Item Number: **(A) E-04**
Item Name: Microwave (OPTIONAL)
Area Name: Guestroom
Program: **REQUIRED VENDOR / DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Danby 0.7 cu. ft. Countertop Microwave

Model/Finish: DBMW0720ABD / Black

Dimension: 17.56"W x 9.56"H x 12.94"D



Notes:

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) L-10**
Item Name: String Lights @ Entry Vestibule (OPTIONAL)

Issue Date: January 2023

Area Name: Public Area

Revision: 03/2024 Δ5

Program: **REQUIRED VENDOR/DESIGN**

Source: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Commercial Grade LED String Lights Set. Includes (15) Sockets Distanced 2-Feet Apart with (15) Clear Decoative LED Bulbs, and (2) Spare Bulbs.

Model Number: FEIT Electric SL30-15/FIL
Model Name: 30-Foot LED S14 String Lights
Dimensions: 30 ft. - 24" Socket Spacing
Finish: Black
Switch Type: Plug-In
Lamp Type: S14, E26 Medium Base - 120V
Lamp Wattage: 15W
Lamp Quantity: 15
UL Listing: CETLUS Safety Rating Listed for Damp Locations
Dimmer: Non-Dimming



Notes: Refer to architectural drawings for location. String lights should not span more than 15 feet.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by Owner prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) PF-01
Scheme:	Spring Scheme	Item Name:	Guest Bath Vanity Sink Basin
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Rectangular Undermount Bathroom Sink With Center Drain and Overflow

Model Number: 442007-U-0

Model Name: Stinson ® Under-Mount Bathroom Sink

Color: White (0)

Dimensions: 20"L x 14"W x 7-1/8"D



Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) PF-02**
Item Name: Guest Bath Vanity Faucet
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Single-Handle Bathroom Sink Faucet
Style Number: 16027-4-CP
Style Name: July Single-Handle Bathroom Sink Faucet
Color: Polished Chrome (CP)
Dimensions: 4-13/16"H (from counter-top), 4-3/8" Spout Reach



Notes: ADA Compliant Handle
Includes metal pop-up drain with 1-1/4" tail-piece.
Single lever handle allows for both on/off activation and temperature setting.
1.2 GPM flow rate.
Single hole Installation

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) PF-03**
Item Name: Shower Head
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Description: Multifunction Showerhead with (3) Alternate Experiences: Wide Coverage, Intense Drenching, and Targeted Spray.
Model Number: 72419-G-CP
Model Name: Awaken G110 1.75 gpm Multifunction Showerhead
Color: Polished Chrome (CP)



Notes: Showerhead mounts on existing 1/2" NPT connection shower arm.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) QT-10 Supplier A**
Item Name: Quarry Tile @ Breakfast Prep
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Essentials Quarry Tile
Color/Finish: Gray Neutral
Size/Dimensions: 6" x 6"
Slip Resistance: D.C.O.F. > 0.42 Wet
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes



Notes: Grout Joint: 3/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a grid/stacked pattern.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) QT-10 Supplier B**
Item Name: Quarry Tile @ Breakfast Prep
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Quarry Textures
Color/Finish: 0T03 Ashen Gray
Size/Dimensions: 6" x 6" x 1/2"
Slip Resistance: D.C.O.F. > 0.42 Wet
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes



Notes: Grout Joint: 3/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a grid/stacked pattern.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) QT-10.1 Supplier A**
Item Name: Quarry Tile Base @ Breakfast Prep
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Essentials Quarry Tile Cove Base
Color/Finish: Gray Neutral
Size/Dimensions: 5" x 6"
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes
Edge Detail: Round Top



Notes: Grout Joint: 3/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) QT-10.1 Supplier B
Scheme:	Spring Scheme	Item Name:	Quarry Tile Base @ Breakfast Prep
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Quarry Textures Round Top Cove Base
 Color/Finish: 0T03 Ashen Gray
 Size/Dimensions: 5" x 6"
 Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes
 Edge Detail: Round Top



Notes: Grout Joint: 3/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: April 2023
Revision: 01/2024 Δ4

Item Number: **(A) RB-01 Supplier A**
Item Name: Resilient Base @ Guestroom
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Reveal 4-1/4 " Millwork Base
Color/Finish: 63 Burnt Umber
Size/Dimensions: 4.25"H x 0.25"D



Notes: Wall Base sold in full carton only - 64LF/carton.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:


- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
 Scheme: Spring Scheme
 Issue Date: April 2023
 Revision: 01/2024 Δ4

Item Number: **(A) RB-01 Supplier B**
 Item Name: Resilient Base @ Guestroom
 Area Name: Guestroom
 Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: BS761 Custom Wall Base
 Color/Finish: 00580
 Size/Dimensions: 4.5"H x 0.25"D
 Construction: Thermoplastic Rubber (TPR)



Notes: Each box contains (6) 96" pieces, 48 LF total.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) RB-10 Supplier A
Scheme:	Spring Scheme	Item Name:	Resilient Base @ Fitness, BOH, and Stairwells
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Product:	Traditional Vinyl CB-63 4" x 1/8"		
Color/Finish:	63 Burnt Umber		
Size/Dimensions:	4"H x .45"D		



Notes: Wall base sold in 120LF increments as 4' straight pieces or coil.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications

Scheme: Spring Scheme

Issue Date: January 2023

Revision: 01/2024 Δ4

Item Number: **(A) RB-10 Supplier B**

Item Name: Resilient Base @ Fitness, BOH, and Stairwells

Area Name: Public Area

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Finishworx Wall Base 4" Cove

Color/Finish: BS739-00035

Size/Dimensions: 4"H x 1/8" Gauge



Notes: Wall base sold as 4' straight pieces or 120' coil.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications

Scheme: Spring Scheme

Issue Date: January 2023

Revision: 01/2024 Δ4

Item Number: **(A) RB-11 Supplier A**

Item Name: Resilient Base @ Lobby & Hospitality Suite

Area Name: Public Area

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Reveal 6" Millwork Base

SKU: MW-TB2-F6

Color/Finish: TB2 Shark Fin

Size/Dimensions: 6"H x 0.25"D



Notes: Wall Base sold in full carton only - 64LF/carton.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme


Item Number: **(A) RB-11 Supplier B**
Item Name: Resilient Base @ Lobby & Hospitality Suite

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: 303VS 6" Detail Profile Sculptured Base
Color/Finish: BS740-00066
Size/Dimensions: 6"H x 0.25"D



Notes: Each box contains (6) 96" pieces, 48 LF total.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Finish Specs	Item Number:	(A) RES-01 Supplier A
Scheme:	Spring Scheme	Item Name:	LVT Flooring @ Guestroom
Issue Date:	April 2023	Area Name:	Guestroom (OPTIONAL)
Revisions:	12/2023 Δ1; Oct-2024 Δ3; Dec-2024 Δ7	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Style Number:	Δ3 Accore		
Color:	Δ3 Oxford Elm 0019		
Construction:	Δ3 Multilayer SPC with Acoustic Backing		
Class:	Δ3 1		
Attached Underlayment:	Δ3 IXPE Acoustical Backing		
Finish:	Δ3 UV Protective Coating		
Dimension:	Δ3 7"W x 48"L (23.64 sq. ft. per carton)		
Wear Layer:	Δ3 .020" (0.51 mm)		
Overall Thickness:	Δ3 0.197" (5 mm)		
Edge Profile:	Δ3 Micro-Bevel		
Installation Method:	Δ3 Click, Drop Lock System / Direct Glue for all Wet area's only permitted upon Hilton approval		
Installation :	Δ3 Ashlar or Staggered		
Flame:	Δ3 Class I		

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- All interpretations of these specifications MUST be submitted to Hilton for final approval prior to purchasing or implementation of any material.
- Quantities must be verified by installer
- Manufacturer to clearly mark each carton with item ID and specification number.



Project Name:	Spark by Hilton Finish Specs	Item Number:	(A) RES-01 Supplier B
Scheme:	Spring Scheme	Item Name:	Δ8 LVT Flooring @ Guestroom
Issue Date:	April 2023	Area Name:	Guestroom (OPTIONAL)
Revisions:	12/2023 Δ1; Oct-24 Δ3; Dec-24 Δ7; Jun-25 Δ8	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Style Number:	Δ8 BS891		
Color:	Δ8 56760		
Construction:	Δ3 Multilayer SPC w/ Acoustic Backing		
Class:	Δ3 Class III / Type B Embossed		
Attached Underlayment:	Δ3 Attached Sound Layer Pad		
Finish:	Δ3 Exogard +		
Dimension:	Δ3 7" x 48"		
Wear Layer:	12 Mil		
Overall Thickness:	Δ3 0.173"		
Edge Profile:	Δ3 Micro Bevel		
Installation Method:	Click		
Installation :	Floating or Glue / Asher Staggered		
Flame:	Class I		

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- All interpretations of these specifications MUST be submitted to Hilton for final approval prior to purchasing or implementation of any material.
- Quantities must be verified by installer
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) RES-10**
Item Name: Resilient Flooring @ Fitness
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: EcoNights
Color/Finish: 652 Mr. Slate
Size/Dimensions: Roll Size: 4' x 25'; Thickness: 8mm
Content: Vulcanized Composition Rubber



Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Installer to provide all materials and equipment for complete installation.




Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: June 2025
Revision:

Item Number: **(A) SDT-10**
Item Name: Static Dissipative Tile @ PBX
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Excelon SDT
Color/Finish: 15957 Ridge
Size/Dimensions: 12" x 12" x 1/8" Thick



Notes: Refer to manufacturer for recommended adhesives & installation instructions
45 sq.ft./carton (~63 lbs./carton)

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) SF-10.1
Scheme:	Spring Scheme	Item Name:	Tile @ Brand Focal Wall
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**


Description: Etched acoustical tile at the Brand Focal Wall

Product: Zintra Etch Tile - Triangle

Sets sold in (8) triangles per box.

Color: Malachite - HLTN3500

Size/Dimensions: Overall Installed Size: 5'-10 7/8"W x 7'-10 1/2"H
Individual Tile: 1'-11 5/8" x 1'-11 5/8" x 1/2" Thick



Fire Rating: Class A (ASTM E-84)

NRC Rating: 0.45 with direct glue method.

Notes: Refer to prototype for detailed elevations.
SF-10A - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10B - Installation requires (20) Malachite Tiles, (6) Grass Tiles, and (6) Chambray Tiles.
SF-10C - Installation requires (22) Malachite Tiles, (7) Grass Tiles, and (11) Chambray Tiles.
SF-10D - Installation requires (10) Malachite Tiles, (6) Grass Tiles, and (2) Chambray Tiles.
SF-10E - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10F - Installation requires (17) Malachite Tiles, (7) Grass Tiles, and (6) Chambray Tiles.

Refer to Implementation Guide and Architectural Drawing Set for mounting details and locations.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:


- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	Δ7 (A) SF-10.2
Scheme:	Spring Scheme	Item Name:	Tile @ Brand Focal Wall
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4; Dec-2024 Δ7	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		

Description: Etched acoustical tile at the Brand Focal Wall
Product: Zintra Etch Tile - Triangle

Sets sold in (8) triangles per box.

Color: Grass - HLTN3502
Size/Dimensions: Overall Installed Size: 5'-10 7/8"W x 7'-10 1/2"H
Individual Tile: 1'-11 5/8" x 1'-11 5/8" x 1/2" Thick



Fire Rating: Class A (ASTM E-84)
NRC Rating: 0.45 with direct glue method.

Notes: Refer to prototype for detailed elevations.
SF-10A - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10B - Installation requires (20) Malachite Tiles, (6) Grass Tiles, and (6) Chambray Tiles.
SF-10C - Installation requires (22) Malachite Tiles, (7) Grass Tiles, and (11) Chambray Tiles.
SF-10D - Installation requires (10) Malachite Tiles, (6) Grass Tiles, and (2) Chambray Tiles.
SF-10E - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10F - Installation requires (17) Malachite Tiles, (7) Grass Tiles, and (6) Chambray Tiles.

Refer to Implementation Guide and Architectural Drawing Set for mounting details and locations.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:


- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	Δ7 (A) SF-10.3
Scheme:	Spring Scheme	Item Name:	Tile @ Brand Focal Wall
Issue Date:	January 2023	Area Name:	Public Area
Revision:	01/2024 Δ4; Dec-2024 Δ7	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		

Description: Etched acoustical tile at the Brand Focal Wall
Product: Zintra Etch Tile - Triangle

Sets sold in (8) triangles per box.

Color: Chambray - HLTN3501
Size/Dimensions: Overall Installed Size: 5'-10 7/8"W x 7'-10 1/2"H
Individual Tile: 1'-11 5/8" x 1'-11 5/8" x 1/2" Thick



Fire Rating: Class A (ASTM E-84)
NRC Rating: 0.45 with direct glue method.

Notes: Refer to prototype for detailed elevations.
SF-10A - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10B - Installation requires (20) Malachite Tiles, (6) Grass Tiles, and (6) Chambray Tiles.
SF-10C - Installation requires (22) Malachite Tiles, (7) Grass Tiles, and (11) Chambray Tiles.
SF-10D - Installation requires (10) Malachite Tiles, (6) Grass Tiles, and (2) Chambray Tiles.
SF-10E - Installation requires (15) Malachite Tiles, (6) Grass Tiles, and (3) Chambray Tiles.
SF-10F - Installation requires (17) Malachite Tiles, (7) Grass Tiles, and (6) Chambray Tiles.

Refer to Implementation Guide and Architectural Drawing Set for mounting details and locations.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Manufacturer to clearly mark each carton with item ID and specification number.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-01 Supplier A**
Item Name: Tile @ Guest Bath Floor & Public Restroom Floor/Wet Wall
Area Name: Guestroom & Public Area
Program: **REQUIRED VENDOR/DESIGN**

Issue Date: January 2023
Revision: 01/2024 Δ4

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Studio Elements Granite Stone Rectified Porcelain Tile
Color/Finish: Pearl
Size/Dimensions: 12" x 24" x 11/32"
Slip Resistance: D.C.O.F. > 0.42
Grout: Mapei or Equal; #27 Silver Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-01 Supplier B**
Item Name: Tile @ Guest Bath Floor & Public Restroom Floor/Wet Wall
Area Name: Guestroom & Public Area
Program: **REQUIRED VENDOR/DESIGN**

Issue Date: January 2023
Revision: 01/2024 Δ4

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: D_Segni Terrazzo Glazed Porcelain Tile
Color/Finish: White / N069RCT1224MT
Size/Dimensions: 12" x 24" x 3/8"
Slip Resistance: D.C.O.F. > 0.42
Grout: Mapei or Equal; #02 Pewter Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.



Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) T-01.1 Supplier A
Scheme:	Spring Scheme	Item Name:	Tile Base @ Guest Bath & Public Restroom
Issue Date:	January 2023	Area Name:	Guestroom & Public Area
Revision:	01/2024 Δ4	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		
Product:	Studio Elements Granite Stone Porcelain Tile Bullnose Base		
Color/Finish:	Pearl		
Size/Dimensions:	4" x 24"		
Grout:	Mapei or Equal; #27 Silver Epoxy Grout - See Notes		
Edge Detail:	Bullnose		

Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications

Scheme: Spring Scheme

Issue Date: January 2023

Revision: 01/2024 Δ4

Item Number: **(A) T-01.1 Supplier B**

Item Name: Tile Base @ Guest Bath & Public Restroom

Area Name: Guestroom & Public Area

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**


Product: D_Segni Terrazzo Glazed Porcelain Tile Base

Color/Finish: White / N069S44F9MT

Size/Dimensions: 4" x 24"

Grout: Mapei or Equal; #02 Pewter Epoxy Grout - See Notes

Edge Detail: Bullnose



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.



Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme


Item Number: **(A) T-02 Supplier A**
Item Name: Mosaic Tile @ Guest Bath RIS
Floor & Pool Waterline

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Guestroom & Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Essentials Mosaics Unglazed
Color/Finish: Silver Ash
Size/Dimensions: 2" x 2" x 1/4" Mosaic - 12" x 24" Sheet
Slip Resistance: D.C.O.F. > 0.42
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes



Notes: Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-02 Supplier B**
Item Name: Mosaic Tile @ Guest Bath RIS
Floor & Pool Waterline

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Guestroom & Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Keystones Mosaic - Straight Joint
Color/Finish: D014 Desert Gray
Size/Dimensions: 2" x 2" x 1/4" Mosaic
Slip Resistance: D.C.O.F. > 0.42
Grout: Mapei or Equal; #02 Pewter Epoxy Grout - See Notes



Notes: Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-10 Supplier A**
Item Name: Tile @ Lobby, Elevator Cab, Guest Laundry and Breakfast

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Luserna Legno Porcelain Tile
Color/Finish: Pecan / Natural
Size/Dimensions: 6" x 36" x 5/16"
Slip Resistance: D.C.O.F. > 0.42 Wet
Grout: Mapei or Equal; #07 Chocolate Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-10 Supplier B**
Item Name: Tile @ Lobby, Elevator Cab, Guest Laundry and Breakfast

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Merona Glazed Porcelain Tile
Color/Finish: MR42 Brown
Size/Dimensions: 8" x 40" x 5/16"
Slip Resistance: D.C.O.F. > 0.42 Wet
Grout: Mapei or Equal; #07 Chocolate Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:


- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) T-11 Supplier A**
Item Name: Wall Tile @ Breakfast Buffet
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Studio Elements Basic Evo Glazed Ceramic Wall Tile
Color/Finish: White / Glossy
Size/Dimensions: 3" x 6" Pressed
Grout: Mapei or Equal; #93 Warm Grey Epoxy Grout - See Notes



Notes: Grout Joint: 1/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a 50/50 brick running bond.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.




Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) T-11 Supplier B**
Item Name: Wall Tile @ Breakfast Buffet
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Color Wheel Classic Wall Tile
Color/Finish: 0190 Arctic White/Semi Gloss
Size/Dimensions: 3" x 6"
Grout: Mapei or Equal; #93 Warm Grey Epoxy Grout - See Notes



Notes: Grout Joint: 1/8"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a 50/50 brick running bond.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-12 Supplier A**
Item Name: Tile @ Indoor Pool Floor/Wall & Pool Restroom Floor/Wet Walls

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Vicenza Concrete Rectified Porcelain Tile
Color/Finish: Grigio / Linear Grip
Size/Dimensions: 12" x 24" x 9.5mm
Slip Resistance: D.C.O.F. 0.54 Wet
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-12 Supplier B**
Item Name: Tile @ Indoor Pool Floor/Wall & Pool Restroom Floor/Wet Walls
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Issue Date: January 2023
Revision: 01/2024 Δ4

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Volume 1.0 Glazed Porcelain Tile
Color/Finish: N063 Stereo Grey
Size/Dimensions: 12" x 24" x 5/16"
Slip Resistance: D.C.O.F. 0.42 Wet
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Tile to be installed in a running bond with 1/3 offset. Overlap should not exceed 33%

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-12.1 Supplier A**
Item Name: Tile Base @ Indoor Pool & Pool Restroom

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Vicenza Concrete Rectified Porcelain Tile Bullnose Base
Color/Finish: Grigio / Linear Grip
Size/Dimensions: 3.5" x 24" x 9.5mm
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes
Edge Detail: Bullnose



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) T-12.1 Supplier B**
Item Name: Tile Base@ Indoor Pool & Pool Restroom

Issue Date: January 2023
Revision: 01/2024 Δ4

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Volume 1.0 Glazed Porcelain Tile Base
Color/Finish: N063 Stereo Grey
Size/Dimensions: 12" x 24" x 5/16"
Grout: Mapei or Equal; #47 Charcoal Epoxy Grout - See Notes
Edge Detail: Bullnose



Notes: Grout Joint: 3/16"

Advanced High Performance Epoxy Based Grout is Highly Recommended. Grout to include clear matte sealer.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Grout to include clear matte sealer.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 01/2024 Δ4

Item Number: **(A) VCT-10**
Item Name: VCT @ BOH
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Tarkett VCT II
Color/Finish: 873 Daylight
Size/Dimensions: 12" x 12" x 1/8"



Notes: Tiles sold in full cartons only - 45 SF/carton

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: June 2025
Revision:

Item Number: **(A) VCT-10 Supplier B**
Item Name: VCT @ BOH
Area Name: Public Area
Program: **REQUIRED VENDOR / DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: Standard Excelon Imperial Texture
Color/Finish: 51908 Pewter
Size/Dimensions: 12" x 12" x 1/8" Thickness



Notes: Refer to manufacturer for recommended adhesives & installation instructions
45 sq.ft./carton (~63 lbs./carton)

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.
- Installer to provide all materials and equipment for complete installation.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) WC-01**
Item Name: Overall Wallcovering @ Guest Bath & Public Restrooms

Issue Date: January 2023
Revision: 03/2024 Δ5; 06/2025 Δ8

Area Name: Guestroom & Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-303B

Color: Twilight

Width: 54"

Type: Type II

Weight: 20 oz. per Linear Yard

Content: Low VOC Vinyl

Backing: Osnaburg

Fire Rating: ASTM E84, Passes NFPA 101 & IBC Class A


Installation: Reverse Hang, Random Match

Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0103 White Sand.

Δ8

**Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-01 to be painted PT-03.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 03/2024 Δ5; Jun-25 Δ8

Item Number: **(A) WC-02**
Item Name: Accent Wallcovering @ Guest Bath
Area Name: Guestroom
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: WG 32831747

Width: 52"

Repeat: 24"V x 52"H

Type: Type II

Weight: 20 oz. per Linear Yard

Content: 100% Vinyl


Backing: Osnaburg

Fire Rating: Passes ASTM E84 - Class A

Installation: Reverse Hang, Straight Match

Δ8 Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0134 Cadet Blue.
Δ8 Ordering Contact: P: (800) 222-5556; Email: hilton@inprocorp.com



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations. Grills located on WC-02 to be painted PT-04.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) WC-03
Scheme:	Spring Scheme	Item Name:	Overall Wallcovering @ Guestroom
Issue Date:	January 2023	Area Name:	Guestroom
Revision:	03/2024 Δ5; 06/2025 Δ8	Program:	REQUIRED VENDOR/DESIGN
Manufacturer:	Contact Hilton Supply Management @ HSMx@hilton.com		

Pattern Number:	NA-PD-521
Color:	Glacier White
Width:	54"
Type:	Type II
Weight:	20 oz. per Linear Yard
Content:	Low VOC Vinyl
Backing:	Osnaburg
Fire Rating:	Passes E84, Passes NFPA 101 & IBC Class A
Installation:	Straight Hang, Straight Match
Corner Guards:	



In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0103 White Sand.
Δ8 Ordering Contact: P: (800) 222-5556; Email: hilton@inprocorp.com

Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations. Grills located on WC-03 to be painted PT-03.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) WC-10**
Item Name: Overall Wallcovering @ Corridors, Hospitality Suite, Guest Laundry & Fitness Center

Issue Date: January 2023
Revision: 03/2024 Δ5; 06/2025 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-285

Color: White Lights

Width: 52"

Type: Type II

Repeat: 18"V x 26"W

Weight: 20 oz. per Linear Yard

Content: 100% Vinyl

Backing: Non-Woven


Fire Rating: Passes ASTM E84 - Class A

Installation: Non-reverse Hang, Straight Across Match

Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0101 Designer White.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-10 to be painted PT-15 - semi-gloss finish recommended.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) WC-11**
Item Name: Accent Wallcovering @ Guestroom Window Wall, Corridor Door Drops, & Hospitality Suite Niche

Issue Date: January 2023

Area Name: Public Area

Revision: 03/2024 Δ5; 06/2025 Δ8

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-694

Color: Indigo

Width: 52/54"

Type: Type II

Weight: 20 oz. per Linear Yard

Content: Low VOC Vinyl

Backing: Osnaburg

Fire Rating: Passes ASTM E84 - Class A

Installation: Straight Hang

Δ7 Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0134 Cadet Blue.

Δ8 Ordering Contact: P: (800) 222-5556; Email: hilton@inprocorp.com



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations. Grills located on WC-11 to be painted PT-04.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) WC-12
Scheme:	Spring Scheme	Item Name:	Overall Wallcovering @ Lobby
Issue Date:	January 2023	Area Name:	Public Area
Revision:	03/2024 Δ5; 06/2025 Δ8	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-423

Color: Fidelity Gray

Width: 52/54"

Type: Type II

Weight: 20 oz. per Linear Yard

Content: Low VOC Vinyl

Backing: Osnaburg

Fire Rating: Passes ASTM E84 - Class A

Installation: Straight Hang

Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0105 Silver.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-12 to be painted PT-10 - semi-gloss finish recommended.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name:	Spark by Hilton Finish Specifications	Item Number:	(A) WC-13
Scheme:	Spring Scheme	Item Name:	Accent Wallcovering @ Reception & Lobby
Issue Date:	January 2023	Area Name:	Public Areas
Revision:	03/2024 Δ5; 06/2025 Δ8	Program:	REQUIRED VENDOR/DESIGN

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-424

Color: Golden Blue

Width: 52/54"

Type: Type II

Weight: 20 oz. per Linear Yard

Content: Low VOC Vinyl

Backing: Osnaburg

Fire Rating: Passes ASTM E84 - Class A

Installation: Straight Hang

Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0372 Storm Cloud.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-13 to be painted PT-04.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 03/2024 Δ5; 06/2025 Δ8

Item Number: **(A) WC-14**
Item Name: Wallcovering @ Entry Vestibule
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-424
Color: Golden Blue
Width: 52/54"
Type: Type II
Weight: 20 oz. per Linear Yard
Content: Low VOC Vinyl
Backing: Osnapburg
Fire Rating: Passes ASTM E84 - Class A
Installation: Straight Hang
Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0372 Storm Cloud.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-14 to be painted PT-04.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) WC-15**
Item Name: Accent Wallcovering @ Brand Focal Wall, Breakfast, 1st Floor Elevator Lobby, & Fitness

Issue Date: January 2023
Revision: 03/2024 Δ5; 06/2025 Δ8

Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-274

Width: 52/54"

Type: Type II

Weight: 20 oz. per Linear Yard

Content: Low VOC Vinyl

Backing: Osnaburg

Fire Rating: Passes ASTM E84 - Class A

Installation: Reverse Hang / Random Match

Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in Clear Finish.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-15 to be painted PT-16 - semi-gloss finish recommended.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme
Issue Date: January 2023
Revision: 03/2024 Δ5; 06/2025 Δ8

Item Number: **(A) WC-16**
Item Name: Wallcovering @ BOH
Area Name: Public Area
Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Pattern Number: NA-PD-002
Color: Silver Lining
Width: 54"
Type: Type II
Weight: 20 oz
Content: 100% Vinyl
Backing: Osnaburg
Fire Rating: Class "A" ASTM E-84
Installation: Straight Hand, Random Match
Corner Guards:

In all high traffic public areas and guestrooms, Brand Standards require the use of corner guards. Available Solution: Inpro 3/4"W Tape-On Floor to Ceiling Corner Guards in coordinating finish #0151 Graystone.

**Δ8 Ordering Contact: P: (800) 222-5556;
Email: hilton@inprocorp.com**



Notes: See Spark by Hilton Implementation Guide and Architectural Drawing Set for locations.
Grills located on WC-16 to be painted PT-15 - semi-gloss finish recommended.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- Wallcovering must be contract quality and suitable for commercial use.
- Manufacturer must provide certificate of flame spread rating, smoke develop rating, and fuel contribution as tested in accordance to ASTM-E84 test.
- Installer must verify yardage requirement prior to ordering and installation.
- Mildew resistant adhesive must be used.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.

Project Name: Spark by Hilton Finish Specifications
Scheme: Spring Scheme

Item Number: **(A) WD-10**
Item Name: Wood Tambour Cladding @
Reception Desk & Breakfast

Issue Date: January 2023

Area Name: Public Area

Revision: 01/2024 Δ4; Jun-25 Δ8

Program: **REQUIRED VENDOR/DESIGN**

Manufacturer: **Contact Hilton Supply Management @ HSMx@hilton.com**

Product: T383 Solid Wood Tambour

Color/Finish: Clear Satin

Size/Dimensions: 3/4"W x 5/16" thick slats; 1'W x 8'L Panels

Wood Species: Ash



Notes: Tambour is mounted on flexible backing, and panels to be cut to size in field.

DOR/GC must field verify final quantities prior to ordering based on existing site conditions.

Δ8 Wood Panels are factory finished.

Manufacturer to confirm the Product meets Hilton Design and Construction Standards.

Instructions:

- All quantities to be verified by installer prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Brand Standards.